

CARBON

MINUTES OF MEETING HARMONY COMMUNITY DEVELOPMENT DISTRICT

The regular meeting of the Board of Supervisors of the Harmony Community Development District was held Thursday, October 26, 2023, at 6:00 p.m. at the Jones Model Home, 3285 Songbird Circle, Saint Cloud, FL 34773.

Present and constituting a quorum were:

Teresa Kramer	Chair
Daniel Leet	Vice Chair
Lucas Chokanis (<i>via Zoom</i>)	Supervisor
Kerul Kassel	Assistant Secretary

Also present, either in person or via Zoom Video Communications, were:

Angel Montagna	District Manager, Inframark
Michael Eckert (<i>via Zoom</i>)	District Legal Counsel, Kutak Rock
David Hamstra	District Engineer, Pegasus Engineering
Lynn Hayes	Inframark, Management Division
Jorge Baez	Field Supervisor, Inframark
Nick Lomasney	Benchmark Landscaping
Kerry Satterwhite	Area Field Manager, Inframark
Priscilla Lilly (<i>via Zoom</i>)	Professional Fountain Services
Residents and Members of the Public	

This is not a certified or verbatim transcript but rather represents the context of the meeting. The full meeting recording is available in audio format upon request. Contact the District Office for any related costs for an audio copy.

FIRST ORDER OF BUSINESS

Call to Order and Roll Call

Ms. Kramer called the meeting to order at 6:00 p.m.

Ms. Kramer called the roll and indicated a quorum was present for the meeting.

SECOND ORDER OF BUSINESS

Audience Comments

Ms. Kramer stated this is a time where the audience members, whether here in person and on Zoom, can come forward, state your name and address for the record, and present any concerns, ideas, or thoughts about the Harmony CDD to the Board. It is a three-minute time limit. We ask that you provide us with your input; it is not a time for questions or back and forth from the Board.

Ms. Mary Jane Sledz stated I have two things that I know I have received responses back. One of them is, over the summer, I asked for a traffic study on Five Oaks, due to we have had many near-misses on Five Oaks Drive, speeding, and kids driving golf carts. In the last two weeks, I was almost hit twice because I was obeying the speed limit. Two Supervisors responded back to me. I sent a separate one to the manager, but I did not hear back. I am hoping that the traffic study will make it to the agenda at some point because it has been a few months now that they told me it was

46 going to be on the agenda. My second thing is, speaking for many of my colleagues in the 55+
47 community, they want to know why the CDD did not know of the intended development plan
48 regarding the apartment complex and parking garage that is going to be entered first in between
49 houses in East and North Lakes. This is going to affect their community if you are putting in
50 something like that, in regard to the traffic problems we already have, now we are going to add in
51 even more traffic. The noise and the animals, how will it affect the animals that are already in the
52 back here? Many of us 55+ walk because of the beautiful surroundings of Harmony. Now we are
53 hearing there is going to be a five-story apartment complex and a parking garage just as high. I
54 want to see what the Board is doing and hopefully, you are ahead of this, because this is going to
55 change Harmony, and we already have problems selling houses in the community. I get that that
56 apartments and commercial are going to be in the front on U.S. Hwy 192, where no houses are.
57 But to put something in the middle of housing is irresponsible.

58
59 **THIRD ORDER OF BUSINESS** **Staff Reports**

60 **A. Landscaping: Benchmark Landscaping (“Benchmark”)**

61 Mr. Lomasney stated last month, we discussed me bringing a map to go over the irrigation.
62 Feel free to take extras if you want. Here highlighted and numbered are all the new timers and
63 their locations. The number they reference should also represent the number on the irrigation
64 packets you receive monthly, as far as the written inspections. For example, where it says clock 8,
65 you now know where it is at and the area it is covering with this map. It is pretty detailed down to
66 the front, A and B. All of these have been replaced. With the rain sensors, this is where they are
67 located. This is the map I use when making irrigation repairs. As far as the percentage, between
68 85% and 90% are done. You will notice the literature changed on the packet. The wires are just
69 not being used. It is not open wire anymore; it is just not being used. All the zones are accounted
70 for, and that is where the 90% comes in, because there is 10% for the unknowns, such as an area
71 that we have not located or something we have not identified. Where the problems are currently
72 are where the new construction is on the left side of the west entrance and in front where they have
73 torn up the front. It is completely not working. They have shredded it. The tarp that they had
74 separating the areas, ironically, we have lines that run down it. I took pictures of the pipes as I
75 went to repair them. Every foot and a half to two feet was gone. In the future, whenever that wraps
76 up, we will need to get in contact with them to discuss what we want to do moving forward in this
77 area.

October 26, 2023

Harmony CDD

78 Mr. Kramer stated right. The subcontractor is for Toho Water Authority (Toho”), who is
79 putting in the inner connect. Yes, we do need to make sure they are responsible for that
80 maintenance.

81 Mr. Lomasney stated right. I just wanted to say it because that is included in the percentage
82 that is not operating. In the same area where the new construction is, there was a white fence there
83 with some palm trees. When they removed that, there were several pipes exposed. It was to the
84 point where my tech just this week shut that zone off completely. We cannot afford to just have
85 water spilling out. That is another area where we have a problem, and we are still locating. We
86 have guys out, and we are just letting them do what they are going to do. We will leave it off until
87 they are complete, and then we will go over there and make our assessment. I will present to the
88 Board our findings. This week, in the packets, we went through timers 1 through 12 in the past
89 two days. One sprinkler remains broken. All the timers we looked through up to 12 have been
90 replaced. He is currently doing that, and he will stay onsite until the timers and recommendations
91 are complete with this month’s report as far as the irrigation. The highway is down. We do not
92 have water going to it. I saw some on the other day, and I will continue to look into it, but we do
93 not need the water going there. That is where some of the open lines are.

94 Ms. Montagna asked is that U.S. Hwy 192?

95 Mr. Lomasney stated yes. Like I said, I saw a section west of 7-Eleven where three were on. I
96 still need to investigate that. That is included in the 85% to 90%. I need to see why it is coming
97 on. It could be wired improperly with another timer.

98 Mr. Chokanis asked was this not in the agenda package?

99 Ms. Montagna stated no, this is his oral report.

100 Mr. Lomasney stated I was asked at the last meeting to bring a map to showcase and explain
101 the irrigation, what percentage we were at, the timer locations, and things of that nature.

102 Mr. Leet stated unfortunately, we only have the room camera and not an easy way to show this
103 map on Zoom. I am not sure if Mr. Chokanis can view this copy with us.

104 Ms. Kassel stated we can take a picture of it.

105 Mr. Lomasney stated yes, feel free to take pictures of it and use it. each one that is mark is
106 where our new timers are. I just wanted you to see it so if you point to a question, I can answer it.

107 Ms. Kassel stated there was an irrigation packet that was sent to the Board last week from
108 Benchmark about what was happening. I always find those a little hard to understand, but I am
109 glad to hear we are at 90%.

110 Ms. Montagna stated it is good progress, for sure.

111 Mr. Lomasney stated there is another area of the unknowns where every sprinkler has no
112 pressure but the sprinklers are fine. Where they connect to go in there, they reduce it too sharply.
113 I do not have anything to present to the Board, but this came up with no pressure several times in
114 the report. That is why. The way the pipes travel there, it was not done properly. No matter what
115 sprinklers I put on there, they are not going to perform well unless that particular area is changed
116 and the route for this particular park. I think Ms. Kassel and I discussed it briefly when we
117 discussed the pocket park. That area and the oaks over here is the most established area. This is
118 where the roots, a lot of breaks, and wiring issues are coming from through the journey since I
119 have been here in June. That is all I have for irrigation. Another thing I want to touch on is the tree
120 trunks in here. Obviously, we cannot do it all in one shot. We did about 80 to 100 trees over the
121 course of two weeks. I had two Benchmark trucks, and the dump trailer we were using in the lot.
122 On Cat Brier, one side of the road is the CDD/golf course side, and those trees are significantly
123 higher. On the other side are the homes where cars are parked constantly. I have requested and
124 now have a pruner on the chance that if one leaves, we can go in and cut that one tree. You may
125 not see complete results right away, as much as I want to give them to you, but where the residential
126 areas are, that is the only method I can come up. For Schoolhouse Road across the street from the
127 school, we are going to have to shut it down for a day. A half a day I can make work. I have staked
128 out there trying to cut those trees for two weeks straight. I was determined. I could not even get
129 one.

130 Ms. Kramer asked do we need to put out a message for no parking?

131 Ms. Kassel asked on a certain date between certain hours?

132 Mr. Lomasney stated that is where we are at. I am trying to get a list of periods when we can
133 do that to bring to you to that if you shut these sections down this month, I can bring in trimmers
134 and have that done. Parking, especially in the residential areas with low branches, if the cars do
135 not move, then I cannot trim them.

136 Ms. Montagna asked is possible to get with Mr. Baez to tell him the schedule? Then he can get
137 the No Parking signs put up indicating the timeframe. If you can get with him, he can get that
138 accomplished.

139 Mr. Lomasney stated yes. We had a meeting this week.

140 Mr. Leet stated we did that for the alleys that we own. Can we do that on the Osceola County
141 (“County”) streets?

142 Ms. Montagna stated just while they are trimming trees. We are not shutting down the street
143 all day, just whatever time they need.

October 26, 2023
Harmony CDD

144 Mr. Lomasney stated it is five trees. We can shut it down for five trees. I will send two or three
145 guys.

146 Ms. Montagna stated you can just keep moving the signs around. If you can schedule that with
147 Mr. Baez, then you can knock it out.

148 Mr. Baez stated yes. Thursday looks good.

149 Mr. Lomasney stated definitely, because I want to get them done, too.

150 Ms. Kramer stated the fall annuals were never installed. Do we need to change those now?

151 Mr. Lomasney stated no. We had to make a different selection. What we had approved was
152 awful. We had talked with Ms. Kassel and presented the new availability. I believe they are already
153 ordered. We put eyes on them; they were selected. Give me a couple of weeks, but they will be
154 installed as soon as possible. I know this is a pressing priority.

155 Ms. Montagna asked for the holidays?

156 Mr. Lomasney stated yes.

157 Ms. Kassel stated yes, red and white.

158 Ms. Kramer stated okay. So we are using red and white?

159 Ms. Kassel stated yes.

160 Mr. Lomasney stated the beds are prepped. I am just waiting on a work date.

161 Ms. Kramer stated we look forward to seeing them. The transfer lot back there where the
162 cuttings are going from the trees, there are two large pieces of equipment back there.

163 Mr. Lomasney stated yes.

164 Ms. Kramer asked do you know anything about those?

165 Mr. Lomasney stated those are for me for pallets for the mulch so I can move them quickly. I
166 can move ten at a time. I can leave them onsite until it is done.

167 Ms. Kramer asked how long will it take? The use of that lot for landscaping stuff is a violation
168 of the County's codes.

169 Mr. Lomasney stated it is just for the job. I spoke with the supervisor before I came here. I am
170 thinking next Monday at the latest all the mulch will be done, and that equipment will be out of
171 here.

172 Ms. Kramer stated yes, we cannot use the lot as a transfer lot either. We need it gone quickly.

173 Mr. Lomasney asked do not use it for dumping? Because when we cut the trees, we put it there
174 and then our grabber truck comes and gets it. Without us doing that, it will take us much longer.

175 Ms. Kramer stated we specifically bid the contract with no availability for that. The County
176 said that it cannot be done. That was the way the contract was bid.

October 26, 2023

Harmony CDD

177 Mr. Lomasney asked what can that lot be used for?

178 Ms. Kramer stated a garden.

179 Ms. Montagna stated we had to shut it all down, the RV lot, everything. RVs were parked back
180 there, equipment, and trailers. We have to get all of that out of there.

181 Ms. Kramer stated we are not allowed to use it for anything.

182 Ms. Montagna asked is there another place onsite they can have all of that? I understand what
183 you are saying about moving mulch.

184 Mr. Lomasney stated I will have to get back with you as far as the tree trimming for scheduling.
185 That definitely changes things for me.

186 Ms. Kramer stated we will have to figure something out. If you are using that to chip up for
187 the garden, then it is a garden-related activity.

188 Mr. Lomasney asked I will need to talk with Mr. Jacob Mootz.

189 Ms. Kramer stated if you will provide chipping onsite for the garden, then we can qualify it for
190 the garden.

191 Mr. Lomasney asked was there an area where Benchmark was allowed to keep stuff?

192 Ms. Kramer stated no.

193 Ms. Montagna stated there was discussion.

194 Ms. Kramer stated there was no place because Mr. Brett Perez was very specific about that.
195 Now he is with Benchmark, so you can check with him. Unfortunately, not. They figured a little
196 high to compensate for that. Be aware of that. Right now, stuff is parked there. If it is going to be
197 gone within a week or so because the mulch will be gone, we should be good. But that can be a
198 troublesome issue for us if the County rolls by.

199 Ms. Kassel stated I wanted to know about the merger.

200 Mr. Lomasney stated the merger did go through, but it is going to just be a letterhead issue.
201 Everything is going to remain the same.

202 Ms. Kassel asked do we need to have Mr. Eckert prepare something?

203 Ms. Kramer stated it has already been signed and done.

204 Ms. Montagna stated yes, it is done. The Board approved it in substantial form until they gave
205 us their certificate of insurance, and that has all been done.

206 Ms. Kassel stated the Board did not hear anything about it, so that is why I was following up
207 with it.

208 Mr. Lomasney stated I will remain here on staff. The way we are doing things will remain the
209 same.

210 Mr. Chokanis asked what is the new company's name that merged with Benchmark?

211 Mr. Lomasney stated United Land Services.

212 Ms. Kramer stated we wanted to get a picture of the map that we discussed.

213 Ms. Montagna stated Mr. Baez took a great picture of it. He can send it out.

214 **1. Consideration of Sycamore Treatment Proposal**

215 Mr. Lomasney stated I have the total, and I counted the sick ones. It is spreading. I think if we
216 tackle it, we can tackle it quickly. It is really bad in the neighborhoods. It is not so bad over here
217 in the common areas. They do need to be addressed as soon as possible. If not, the number of sick
218 ones will increase rapidly. I would also recommend someone contact the golf course. They have
219 sick ones, and the homeowners association ("HOA") ones that are not our responsibility. It is
220 spreading everywhere. We want to tackle this problem before it gets out of control.

221 Ms. Kramer stated we have had it treated in the past, twice. The last treatment was in March
222 and April of 2022. We have been battling this glassy scale, and a sooty mildew that goes with it.
223 The proposal is for 150 trees for \$4,200.00. Is that what you are recommending at this time?

224 Mr. Lomasney stated yes. It is a little over 500 trees. I believe about 150 of them are sick.

225 Ms. Montagna stated Mr. Perez recommended all of them, which is why you saw that proposal,
226 for 512 or 521 trees.

227 Mr. Lomasney stated it was 517. I narrowed it down.

228 Ms. Montagna stated these are the actual sick ones.

229 Mr. Lomasney stated right.

230 Ms. Kassel stated we will see if treating them helps prevent that sickness from moving to the
231 other trees.

232

233 Ms. Kassel made a MOTION to approve proposal #1531 from
234 Benchmark Landscaping for the treatment of 150 sycamore trees, in
235 the amount of \$4,200.

236 Mr. Leet seconded the motion.

237

238 Mr. Chokanis asked can you give me a quick rundown on our financials, to see where we are?

239 Ms. Montagna stated you just started your new fiscal year, so you are fine. It started October
240 1 and your new budget cycle started then. We have not made a dent in the first month.

241 Mr. Chokanis stated okay. I know you mentioned before that we do not get the money all at
242 once. When do we start getting the checks in?

243 Ms. Montagna stated you will usually start getting some in November. Typically, for this
244 District, it is usually the bulk. Then you will start seeing funds trickle in December and January.

245 Usually, you are fully collected by February. You may have a couple of one-offs in March. We
246 have collected assessments through tax certificate sales, as well. I would say the bulk is received
247 between now and January.

248

249

250

251

252

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to proposal #1531 from Benchmark Landscaping for treatment of 150 sycamore trees, in the amount of \$4,200.

253

254

2. Update on Pocket Park Projects

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

Ms. Kassel stated Mr. Lomasney and I drove through and reviewed every single pocket park except for two of them. After visiting every park and having conversations regarding all the issues that are on this month's agenda, you can see that I checked off certain issues and circled them. I proposed that we spend the total of \$78,000, not including resodding the soccer field. I know we are tight on our budget this year, so I am proposing we spend \$30,000 to refurbish a number of areas in a number of different parks. I am not saying we do everything in each park. I am saying we take some areas of some parks that look particularly bad and address those now. I want to hear from Mr. Lomasney because in my proposals, I have numbered the pages. The only one thing I have questions about is, was mulch included in the contract? According to Mr. Mootz, the playground mulch is not included in the contract. I do not know if that applies under landscaping. I think that comes under parks instead. I did include one but not the other. In the main dog park on Cat Brier, that playground is in here, but I did not include that in the \$30,000 that I propose to spend. I think I did accidentally include it in the other park, Buck Lake Park. It is not checked off. You will see at the end of the set of proposals is a spreadsheet where I took each of the areas that I checked off and I included the pages. I want to hear from Mr. Lomasney. I propose that at the dog parks, we remove the dead crepe myrtles. and in several other parks we remove the dead shrubs. Instead of removing everything, we should remove just the dead shrubs and replace with like kind. For example, there is arboricola. Mr. Lomasney and I can review this. Perhaps there is some wiggle room we can navigate or negotiate. But I am proposing we take \$30,000 to refurbish those areas if you think we can afford it.

275

276

277

278

279

Mr. Lomasney stated I agree with everything that was checked. I like that we are going to visit each park so that you can see the difference in most of them, not just three. There is one item that concerns me, though, and it is the tree leaning toward the monument by the annual monument. If it falls, it will crash on it. There is a picture you can see. It will take the monument out. It is an old enough tree that I think it will destroy it.

October 26, 2023

Harmony CDD

280 Ms. Kassel stated Sebastian Bridge.

281 Ms. Kassel asked is that the panther and bear monument?

282 Mr. Lomasney stated yes. Two trees are there. One is in the field, and it will not hurt anything.
283 I can completely understand that not being checked. If it falls, we cut it. The other one will damage
284 that monument. It is going to be more costly for the damage it may cause versus removing it and
285 being done with it and eliminating the risk.

286 Ms. Kramer asked what kind of tree is it?

287 Mr. Lomasney stated it is an oak tree.

288 Ms. Kassel stated in the agenda package among the proposals, it is page 2.

289 Mr. Lomasney stated it is issue #1. With each storm, it leans more. We have been monitoring
290 it since June.

291 Ms. Kassel stated there is no division between removing that tree and the second tree. There is
292 a price for removing the two trees. Is it half of that?

293 Mr. Lomasney stated I can find out if that is a separate issue, if we took this out of the pocket
294 park project as a dangerous tree.

295 Ms. Kramer stated yes, and it looks like our cost would be under our limit so that the District
296 Manager could authorize it.

297 Mr. Lomasney stated let me check. If the Board does not object, I would like to treat this as a
298 separate issue. I will revisit this and speak with Mr. Mootz to get a firm price on that particular
299 tree. I can bring it up next time.

300 Ms. Montagna stated no, just send it to me.

301 Ms. Kassel stated she has the approval power to make it happen outside of a Board meeting.

302 Ms. Kramer asked how much do we have in this upcoming year's budget for this type of
303 project?

304 Mr. Leet stated I recall about \$35,000. We have \$40,000 for R&M trees and trimming.

305 Ms. Kassel stated that line item would not apply to this, but it would for removal of that one
306 tree.

307 Ms. Montagna stated miscellaneous services under landscaping is \$34,860.

308 Ms. Kassel stated this is last year's budget we are looking at.

309 Ms. Kramer asked if we approve it tonight, how long before we see the invoices? Could you
310 stage it out until we can get some assessment money?

311 Mr. Leet stated the fiscal year 2024 adopted budget has \$50,000 for miscellaneous services
312 under landscaping.

October 26, 2023
Harmony CDD

313 Ms. Kramer stated the sycamore trees will fall under that, too.

314 Mr. Leet stated R&M trees and trimming has \$40,000.

315 Mr. Lomasney stated Mr. Mootz could answer that question as far as the invoice timing. We
316 would typically do this within the same timeframe, but I will get with him and find out.

317 Ms. Kassel stated if you started it in October and finished by mid-November, then by the time
318 we get the bill and have to pay it, we should have some revenue in.

319 Mr. Lomasney stated yes. It is going to take me some time.

320 Ms. Kramer stated this is the time of year to do all this.

321 Mr. Lomasney stated yes.

322 Ms. Montagna stated you do have money in first-quarter operating expenses, but it is not your
323 full quarter.

324 Mr. Lomasney stated I will not have this job done next week.

325 Ms. Kramer stated it will take some time to get the work order.

326 Mr. Lomasney stated I need to schedule it with my crews.

327 Mr. Chokanis stated I totally agree we should get all this fixed at some point. I think if we take
328 care of some of the trees that have fallen over that are potential liability issues and get those fixed,
329 then we can take maybe two of the parks or two areas and slowly get those fixed, like the market
330 area and Town Square and maybe Buck Lake Park. Once those get fixed, then we can get the other
331 ones fixed slowly.

332 Mr. Leet asked are we going to cause more harm if we spread out execution of these over a
333 month or two? I think that is where Mr. Chokanis was going. How urgent is it to get all these going
334 now? Ms. Kassel has already made a pass at doing this and filtering them down on the entire
335 property to the main points. I guess we are trying to see if we can squeeze it a little more.

336 Ms. Kassel asked when you say squeeze it a little more, what are you proposing?

337 Ms. Montagna stated if it will deteriorate more.

338 Ms. Kassel stated it already has deteriorated. Some of the areas are pretty bad, and they have
339 been for years.

340 Mr. Lomasney stated these areas are the worst of the worst. From a priority standpoint, that is
341 why we highlighted them.

342 Mr. Leet stated I do not have a problem with the projects, just the timing and maybe spreading
343 it out. Is that what Mr. Chokanis was getting at?

344 Mr. Chokanis stated yes. I think all these things need to be fixed, for sure, but instead of
345 spending \$30,000 and giving them a huge job, we can give them a one-month job and give them

346 the trees to fix that are a safety and liability issue. They can do Town Square, which is one of the
347 centerpieces of Harmony, and Buck Lake is the other big area where people play. Obviously, these
348 parks need work, but as far as a field of vision, they are not used as much as the other areas.

349 Ms. Kramer stated I agree that we have big financial projects. We have to get the community
350 maintenance facility going. That project is ongoing. Let us keep this sheet and maybe consider
351 those two main parks.

352
353 Mr. Chokanis made a MOTION to approve the proposal from
354 Benchmark Landscaping for rehabilitation of Town Square and
355 Buck Lake Park, for the first phase of the landscaping rejuvenation
356 project, in the amount of \$15,305.
357 Mr. Leet seconded the motion.

358
359 Upon VOICE VOTE, with three in favor and Ms. Kassel opposed,
360 approval was given (by a margin of 3-1) to the proposal from
361 Benchmark Landscaping for rehabilitation of Town Square and
362 Buck Lake Park, for the first phase of the landscaping rejuvenation
363 project, in the amount of \$15,305.

364
365 Ms. Kramer stated we will start with this first phase, and then in a month or two, see how much
366 assessment money is received and then look at the others.

367 **3. Consideration of Tree Pruning Proposal**

368 Ms. Kramer reviewed proposal #1421 from Benchmark Landscaping. These are all oak trees
369 that are rubbing up against buildings or other structures that need to be pruned. There was also an
370 oak rubbing against the Buck Lake shade structure that was supposed to be in this.

371 Mr. Lomasney stated it is.

372 Ms. Kramer stated I did not see it listed.

373 Mr. Lomasney asked it has the tarp over it?

374 Ms. Kramer stated yes.

375 Ms. Kassel stated this says Ashley Park pool, Ashley Park pool, Swim Club pool It does not
376 say anything about Buck Lake Park.

377 Mr. Lomasney stated I will ask Mr. Mootz.

378 Ms. Kramer asked you will add that on?

379 Mr. Lomasney stated yes.

380 Ms. Kramer stated okay. That has been over a year now, and we will have damage on that
381 shade structure.

382 Mr. Leet asked you are saying this amount does include that tree?

383 Ms. Montagna stated no.

384 Mr. Lomasney stated I will talk to Mr. Mootz. It is just two branches. I need the same boom
385 truck. When that crew comes out to do that, I will have them look at that.

386 Ms. Kramer stated this is preservation of our structures and buildings.

387

388 Mr. Leet made a MOTION to approve proposal #1421 from
389 Benchmark Landscaping for pruning five trees at the Ashley Park
390 pool, with the addendum that it also includes the tree rubbing on the
391 shade structure at Buck Lake Park, in an amount of \$3,125.

392 Ms. Kassel seconded the motion.

393

394 Upon VOICE VOTE, with all in favor, unanimous approval was
395 given (by a margin of 4-0) to proposal #1421 from Benchmark
396 Landscaping for pruning five trees at the Ashley Park pool, with the
397 addendum that it also includes the tree rubbing on the shade
398 structure at Buck Lake Park, in an amount of \$3,125.

399

400 **B. Field Manager: Inframark**

401 **1. Field Manager's Report**

402 Ms. Montagna stated I emailed the field report separately. With the change in Mr. Jeison
403 Castillo leaving, the field inspection report was not included in your agenda. We can add it when
404 we post the revised one on the website.

405 Mr. Baez stated we have been pressure washing the dock for the boats, and pressure washing
406 Schoolhouse Road. We are going to keep working on that, then Five Oaks Drive to the clubhouse.
407 We will start on Cat Brier as soon as we are finished with that one. For the next meeting, we will
408 have the sidewalk report so you can see how many we will need to grind or replace. Tomorrow,
409 we will start pouring concrete for the damaged sidewalks. We started cutting the roots today on
410 Sundrop, and it will be ready to pour concrete tomorrow. We will fix the gates on the fence for the
411 dog park today. We replaced the motor for the kiddie pool, and it is working.

412 Ms. Montagna stated as well as all their day-to-day stuff.

413 Ms. Kramer stated there are a couple of items left to put on your radar. We need the Children
414 at Play signs installed. Mr. Freddy Blanco knows the exact locations. He took photographs of the
415 locations. Those have been delayed significantly, so they need to be installed right away. That
416 needs to be a priority. Ms. Kassel also had pressure washing of the bat house structure. It is at the
417 end of Cupseed, if you go straight from Cupseed toward Buck Lake, the bat house is right there. It
418 is a tall, white structure.

419 Ms. Kassel stated also the east entrance tower is a mess; it needs to be power washed.

October 26, 2023

Harmony CDD

420 Ms. Kramer stated it needs to be evaluated to see if repairs are something we can do or if we
421 need to hire a contractor.

422 Mr. Leet stated it should be like refreshing the signs and things like that, for stores that are not
423 there anymore.

424 Ms. Montagna stated some of it he may be able to do, and some of it, we may have to get a
425 vendor to come in.

426 Ms. Kassel stated there is also the Dark Sky swale flooding from the pool construction.

427 Ms. Kramer stated yes, they wanted to get it done but we had rain predicted, which did not
428 come. They want to wait until we get another good rain to see that back up. That needs to be on
429 the radar so we do not miss the next rain.

430 Ms. Montagna stated I will get with Mr. Baez and Mr. Hamstra on that because depending on
431 what it is, we need to make sure we can do it properly.

432 Ms. Kramer stated it is basically the same as the last Dark Sky flooding issue.

433 Mr. Baez stated the sign for Billy's Trail, I took it back to the company that made the signs.
434 They said they can replace the letter or replace the word.

435 Ms. Kramer stated the word "camera" was misspelled. Do we have a preference?

436 Ms. Kassel stated just have them replace the word. That way it does not look funny if the letter
437 does not fit perfectly.

438 Mr. Baez stated there is a swing that is broken.

439 Ms. Kramer asked in a park, or on a boardwalk?

440 Mr. Baez stated in a park. It is PVC, and I do not know if you want to replace it with PVC or
441 a wood swing.

442 Ms. Kramer asked is it currently PVC?

443 Mr. Baez stated yes.

444 Ms. Kramer stated it has been breaking.

445 Mr. Baez stated yes.

446 Ms. Kramer stated I know every year, it breaks. Maybe we should try wood.

447 Mr. Baez stated if we try wood, we can fix it better. We can buy the wood and fix it.

448 Ms. Kramer asked does anyone have any objections to replacing it with wood?

449 Ms. Kassel stated we can try it and see if it lasts.

450 Ms. Montagna stated it might be a little cheaper, too, and will be cooler in the sun.

451 Ms. Kassel stated we received a link to or a copy of a task checklist, which was back when Mr.
452 Vincent Morrell was here. I am not sure why we got it. I know we talked in the meeting about
453 updating that task checklist.

454 Ms. Montagna stated Mr. Baez will start updating that checklist. He sent out the link to you all
455 had it. Now that Mr. Baez is here, those things will be updated so you can see it. We put it in the
456 agenda, because that was something you requested, but you will not be able to click on anything.

457 Ms. Kassel stated all we need to know is if it is completed or still outstanding.

458 Ms. Montagna stated that is right.

459 Ms. Kramer stated that is what I was going to say. It got too mired down. We do not need to
460 know if you are normally working and grinding. What we were really looking for was to be able
461 to log in any service requests that come in from the residents.

462 Ms. Montagna stated from the cddmaintenance@inframark.com email.

463 Ms. Kramer stated yes, so we can make sure we know it has been asked of you and we can see
464 when it has been done, so if we need to respond to a resident, then we can.

465 Ms. Kassel stated there should be two columns: one if it is done, and the second column if it is
466 not done, when you expect to get it done.

467 Ms. Montagna stated I will show that to Mr. Baez. The other thing we have to do is log all the
468 sidewalk stuff: when we grind it, when we replace it. That we keep for insurance purposes when
469 they come back and file a lawsuit, then we can actually show them the dates we did repairs.

470 Ms. Kramer stated with the address or some other locator. That needs to be logged. Also what
471 needs to be logged is any work order on the conservation areas and invasive species. Just this last
472 week or so, I had to respond to the South Florida Water Management District (“SFWMD”) and
473 give them a summary of Mr. Brad Vinson’s hours out there and what they were locating. He keeps
474 those in a little notebook, but eventually it should be logged. Eventually, we will have to pass that
475 on to Ms. Catherine Bowman, who is our environmental consultant, and she makes the formal
476 report.

477 Ms. Montagna stated we will add another tab that is just for Mr. Vinson’s stuff. Every day is
478 it out, what he sprayed, what he did, how many hours, and so forth. It is basically converting his
479 notebook onto those tabs in the spreadsheet. We will set that up.

480 Ms. Kramer stated another issue we discussed at the last meeting that we need to get done is,
481 there is a hive of bees underneath the small schoolhouse in the garden. That needs to be handled.
482 They have been attacking the landscape workers. We need to get someone in here to remove them
483 or eradicate them. They have been very aggressive, as has been reported recently.

October 26, 2023
Harmony CDD

484 Ms. Montagna stated we will call the vendors on your list and see if one of them will come
485 out.

486 Mr. Leet asked what about the volleyball net?

487 Mr. Baez stated I will purchase it as soon as I get a card.

488 Ms. Montagna stated we had to cancel Mr. Castillo's Harmony card. They are issuing one for
489 Mr. Baez, and it should be here in three to five days. As soon as he gets the net, he will put it up.

490 **2. Discussion of Splash Pad**

491 Ms. Kramer stated we would like an update. We are frustrated.

492 Ms. Lilly stated yes, I am frustrated, too. I gathered all the invoices, even from 2020, from Mr.
493 Gerhard Van Der Snel.

494 Ms. Kramer asked did you replace the variable frequency drive ("VFD")?

495 Ms. Lilly stated yes. We did not do else anything to the fountain. All we did was replace the
496 touchscreen and the VFD. We started doing work on the fountain in March, when we did the first
497 diagnostic. We do not really know what is going on with the splash pad. Moe has a lot of splash
498 pads that he works on, and this is the only one we are having a little bit of trouble with. I think we
499 have some miscommunication regarding the plumbing. Moe did not replace the entire plumbing
500 in the vault. He replaced the solenoid, which shuts the water off, the sprays individually, and then
501 he replaced the plumbing that goes from the bit charge, which is the wall of the vault. You have
502 plumbing that comes out of there. It was built in with the instructional component. He replaced
503 starting from the plumbing line, which we cannot remove, to the solenoid over to the strainers.
504 The plumbing line was there at the time the splash pad was built. There is a lot of other plumbing
505 back there that Moe has not worked on or touched. Where the leak came from is not something
506 Moe worked on. We do not know what happened. Moe was out a while ago; July 26 is when he
507 was out, and there was no leak at that time. When we received a message from Mr. Castillo that
508 the vault was flooded, it was over a month later.

509 Ms. Kramer stated we were under the understanding that all the plumbing except what is under
510 the dirt, everything in the vault, had been replaced. I am hearing from you that it has not.

511 Ms. Lilly stated no. That is what Moe kept telling me, that he had not done that. In the estimate,
512 it says replacing plumbing from strainers to discharge. It is only where the strainers are where the
513 water comes out of the spray to clean, from there to the solenoid to the wall of the vault. Where
514 the discharge connections are is the piping that we would not be able to do anything with because
515 that was there during construction. Where the fountain is leaking, Moe would not be able to do
516 anything with that. His concern is this. I will be 100% honest. He is thinking, we do not know who

October 26, 2023

Harmony CDD

517 all has been in the vault. I was told that a filter was repaired or replace at some point after Moe
518 was there. Please know that we are not trying to get out of any type of repairs. Moe already has
519 another motor in stock. We take accountability 100% for any work that we did not do correctly.
520 This is what we stand by. In this case, other people have been in the vault. We do not know. Moe
521 does not touch all the plumbing. We only work on what is needed. I cannot say we will repair or
522 replace certain things because we do not know why it is leaking. He feels maybe someone leaned
523 on it accidentally or bumped into it accidentally, and it cracked. Every time Moe has been there, it
524 never had a leak. Moe checked to see if there is a leak, and there has not been.

525 Ms. Kramer stated we have had two leak incidents. The first one, as reported to us, was right
526 after Moe had changed out all the solenoids. It flooded and took out the brand new motor on our
527 brand new pump. That was one, but now there is a second leak incident. To which one are you
528 referring?

529 Ms. Lilly stated I am referring to the most recent flooding.

530 Ms. Kramer stated the second one.

531 Ms. Lilly stated the one that happened on September 7 when Mr. Castillo texted to say the
532 vault is flooded. Moe was there last on July 26.

533 Ms. Kramer stated before the leak, Moe had come out. He had worked. The fountain was on.
534 In fact, we had it what I call dancing, going in a pattern. Then suddenly all that stopped again. Do
535 we know what happened or do we know whether or not we can ever get it going again?

536 Ms. Lilly stated absolutely. I saw the videos of the most recent flooding, and VFD does not
537 look like it was underwater. The problem is, we need to first replace the motor because it was
538 submersed in water. If it is underwater, then it is not going to work anymore. Moe cannot risk
539 turning the fountain on because it may burn out the VFD, which the VFD is a controller. That is
540 what makes the nozzles go up or down. First, we need to replace the motor to make sure that is not
541 going to burn out or spark anything. Then we can test the VFD. It does not look like it was
542 underwater. As long as the VFD was not submerged, it is still good, as well as the touchscreen.

543 Ms. Kramer asked is there any way to test that? Our staff said the motor was not submerged.
544 Is there a way to test the motor to see if it truly needs to be replaced before going to that cost?

545 Ms. Lilly stated it is interesting they would say that because when I was looking at the video,
546 it looked completely submerged under water. I am not sure.

547 Ms. Kramer asked whether it has or not, is there a way to test it without jeopardizing the VFD?

548 Ms. Lilly stated no, there is not. Moe can detach it and dry it out and check it without
549 connecting it to the pump. I can ask Moe. He was supposed to participate by phone in this meeting,
550 but I have not been able to get a hold of him. He is on his way back from vacation. But I will ask.

551 Ms. Kassel stated I want to ask about repairing the leaks, whether or not it will happen, and it
552 will be done by whom and at what cost. It is one thing to check the motor, but if those leaks are
553 not repaired, then we still do not have the opportunity to turn it on.

554 Ms. Lilly stated right. I do not have any numbers for you right now, but Moe returns from
555 vacation tonight. He is back to work next week. I can ask him. I will have to talk with him, and I
556 will send you an update on the repairs.

557 Mr. Chokanis stated I would like to go out there and meet Moe and see what is going on. I hear
558 what you are saying, and I somewhat understand the concepts. Please reach out to him and let me
559 know when he will be out there so I can go out there and try to figure it out and fully understand
560 the issue and try to help out.

561 Ms. Lilly stated that would be great. Send me your phone number. Another thing we do stress
562 to our customers is, curiosity is really what damages these fountains and having multiple
563 companies come in and work on them. There is nothing wrong with it, but the problem that we
564 always see is, these fountains are very specific, and Moe knows how to work on the fountains.
565 When someone else comes in and works on something, it is very hard to know what they did.
566 Everyone ends up pointing fingers. We just do not know what happens once we leave the site.
567 Most properties have electricians and plumbers and pool guys going in and out of the vault and
568 doing things with the fountain. I understand that. Moe is so busy and sometimes cannot get out
569 there for a couple weeks and you need these back up and running. But one thing I always like to
570 stress to our customers is, it is so important that no one touches the fountain once it is up and
571 running, unless it is someone that Moe has specifically trained. If you want to have people go out
572 there, Moe is happy to show them what to do, what not to touch, what to be careful with. Anyone
573 who wants to learn, please have them go out there to learn how to work on the fountain, for
574 example, resetting it because lightning can shut it off. But when there are a lot of spoons in the
575 pot, something always happens. A fountain we service in Sarasota County, the electrician went in
576 to fix something in one of the panels. We do not know what happened, but he broke one of the
577 pipe lines, and the vault flooded. He said it was an accident and he did not mean to, but when
578 people are stepping down into the vault, it is slippery, the ladders are not stable, and if you step
579 back a certain way you will bump your shoulder on the plumbing which will cause a crack or a
580 leak. I wanted to let you know that.

581 Mr. Leet stated I wanted to bring that up to make sure everyone is on the same page. I did not
582 see that we had any other contractors working on the splash pad more recently than that, but
583 between field services inspecting it or whatever, it sounds like a great idea to get as many of our
584 people as possible to be there with Moe to make sure everyone is caught up on how it should be
585 run.

586 Ms. Lilly stated yes. They take notes, and we get calls on what we showed them to do for
587 certain things and what is supposed to be turned off or the valve was not closed properly when
588 cleaning it. Water products are very delicate.

589 Ms. Kramer stated I am totally a novice when it comes to splash pads and fountains. Does all
590 this equipment have to be underground?

591 Ms. Lilly stated yes, because they cannot get wet.

592 Ms. Kramer asked could it be in a building above ground so that when it springs a leak, it does
593 not flood the equipment?

594 Ms. Lilly stated yes. We have done that before. It would be a reconstruction. Moe filled the
595 vault with dirt or whatever, and then he put the equipment on the top. In this case, the equipment
596 went into the guardhouse of this property he worked, so all the equipment is above ground. Yes, it
597 is possible.

598 Ms. Kramer stated we appreciate your input.

599 Ms. Lilly stated if you have any questions, please give us a call. We are more than happy to
600 help with whatever you need.

601 Ms. Kramer stated thank you. What direction would the Board like to go in at this point?

602 Ms. Kassel stated she will get back to us with what it will take to fix the existing leak, what it
603 will take to check the existing motor, and I think that is the next step.

604 Mr. Leet stated she broached the idea that it is possible to build up the VFD. I do not know
605 about encapsulating the whole thing, like she said. Maybe on our side, we can look into what our
606 options are and compare that with what Professional Fountain Services comes up with. It is going
607 to be expensive. I do not where we got the impression that it was brand new in the vault to the
608 bulkhead.

609 Ms. Kramer stated we were told that.

610 Mr. Leet stated yes.

611 Ms. Kramer stated not from them, but just working with it.

612 Mr. Leet stated that was our understanding, and we proceeded under that assumption to have
613 them actually do that. If it is five digits or six digits, do we know what it would take to actually

614 have that done, versus if we were to build stuff up? It might be a similar cost, but it might be that
615 if we do have a leak near the bulkhead or in some of the smaller pipes, it does not wipe out the
616 equipment and is soggy for a few days. That is obviously a much better way to go.

617 Ms. Kramer stated right, and from what Ms. Lilly is saying, they do not do any of the plumbing
618 work from the vault back, and that is where the leak came in. This is where it goes into the ground.

619 Mr. Leet stated the bulkhead.

620 Ms. Kramer stated right, where it goes into the wall and into the ground. The question would
621 be, what condition is all that in, and is there a way to evaluate that because it is in the ground. I do
622 not know if we need to find a plumber who can dig some of it up and check it at random places to
623 see what the condition is. Before we put any more money into this, I want to know, like the pool
624 heaters, that we are not looking to add a huge repair. What I am hearing, unless someone objects,
625 is that we are going to let Moe get back from vacation and take another look, check the motor and
626 figure out what the cost is to move forward.

627 Ms. Kassel stated yes, and also the leak. I thought the leak was coming into the vault, inside
628 the vault.

629 Ms. Kramer stated no, it is right at the bulkhead of the vault, and that is where he was saying
630 he does not work on those pipes. We will wait to get another update next month, and hopefully
631 Moe will be able to get us more information.

632 Ms. Kassel stated I think that is where we are.

633 **3. Consideration of Pool Heater Proposals**

634 Ms. Kramer stated we had two pool heater proposals to replace both the pool heaters. Again,
635 it is a similar situation. We put money into repairs, and now we are being told that they need to be
636 totally replaced. We have one quote from Symbiont, who the current heaters were provided by, for
637 \$56,672 to replace both geothermal units. Then we also have a second quote from Big Z Pool
638 Service ("Big Z") for \$46,537. This would provide four AquaCal heat exchange units and they
639 have warranties of seven years on the units and parts, and five years on labor. I did not see any
640 solar units in the proposals. I do not know if that was considered. We only have two quotes. Did
641 we go out for more and not get them?

642 Ms. Montagna stated yes, we did, and no, we did not. Spies did respond and they were supposed
643 to send a proposal, but they never sent it. We sent it to one other company, but these are the only
644 two we received.

645 Ms. Kassel stated the Symbiont proposal talks about two geothermal pool heat/cool units, and
646 the Big Z's proposal talks about four heat pumps. I am a little confused.

647 Ms. Kramer stated geothermal is basically a heat exchange. I do not know if you have any
648 familiarity with this. It pulls the groundwater and uses the temperature of the groundwater for a
649 heat exchange for the water that goes into the pool. It warms it in the winter and cools it in the
650 summer. It is basically the same type of unit and the same function. Big Z said we could get by
651 with three of the heat exchange units, but four would work better.

652 Mr. Hayes stated four would be more efficient.

653 Ms. Kramer stated yes. We do have to consider the cost of electricity. Just this last month, the
654 electricity cost for just running the pool equipment was over \$1,000. Electrical efficiency is also
655 extremely important. Solar pool heaters, I have seen them on a smaller, residential pool, and they
656 work absolutely fantastic. But the question is, we have a commercial pool, and I am not sure how
657 they would work for that.

658 Mr. Chokanis stated it looks like we have been using Symbiont since 2019. Their email to Mr.
659 Hayes says they have been doing this work for 40 years. I say we go with them based on the
660 experience and history, instead of getting someone else involved, even though it is not cheaper. It
661 looks like we have been using them for a long time, so it does not make sense to change for about
662 \$10,000.

663 Ms. Kramer stated there is more history I would like to make you aware of, though. They have
664 sent people out to evaluate. They went ahead and did work. Later, after we paid them about \$4,000
665 for the first repairs, is when we heard that they thought we needed to totally replace them, but that
666 we could get by with another \$4,000 worth of work, which we went ahead and did since we already
667 had one fixed. Now they are telling us we should just replace both of them. I am a little bitter at
668 this point with Symbiont.

669 Mr. Chokanis stated thank you for the backstory. Looking back since 2019, we have only paid
670 them almost \$10,000 for service. I think that is pretty minimal compared to the splash pad. I
671 thought only one of the heaters was broken, but they are recommending both be replaced. Is that
672 what the story is?

673 Ms. Montagna stated they work in conjunction. They work together. You cannot just replace
674 one and not the other.

675 Mr. Leet asked is that an issue with the type of it? Being a geothermal heat exchanger, versus
676 if we go with the heat pump, now it is more segmented. If we do have an issue with one, we are
677 replacing a quarter of the system and not needing to, just by necessity of this underground heat
678 exchange and what is happening, do both of them at once for almost \$60,000?

679 Ms. Montagna stated that I do not know. Both companies came out and looked at it, so I would
680 assume you need two. I do not know if you can break it apart. We can definitely go back and ask
681 that question.

682 Mr. Chokanis asked do we get a tax break for going green and going geothermal?

683 Ms. Montagna stated no.

684 Mr. Leet stated heat pumps are up there, too. You get a credit if you go with a larger heat pump
685 for your house. Both seem on the green side. It is more an issue of the history of the company. My
686 thought hearing some of the backstory was, being told we need a repair, and then within a few
687 months, that we need to replace it. That is not great.

688 Ms. Kramer stated are we at a point where we are ready to do this? The other question is, are
689 we at a point where we can financially do this?

690 Mr. Chokanis stated right.

691 Mr. Leet stated winter is coming.

692 Ms. Montagna stated you have old heaters. Those are extremely old. I do not know if they are
693 the age of your community, but they are old. At some point, they are going to fail. And I know
694 how much your residents love their heated pool. I would probably recommend doing it sooner than
695 later. Can you wait until you are better funded after the first quarter? I think you can. You are in
696 winter, so that poses a different issue. It is Florida winter.

697 Ms. Kramer stated I am not sure how many heated pools are in Florida. I do not think there are
698 a lot of them. I love the heated pool, personally. But again, is that something that for one season
699 we may need to sacrifice? That is the question for the Board.

700 Mr. Chokanis stated I know some older folks go out and swim in the mornings at the pool. The
701 question is, is the 55 and older community pool heated, as well, or is it not?

702 Ms. Kassel stated no, it is not.

703 Mr. Leet stated it is not. Neither is Ashley Park.

704 Mr. Chokanis stated it is kind of a big expense with where we are sitting with last year's
705 expenses and continuing this year. I think we need to really think about this one.

706 Ms. Kramer stated at this point, I would like to ask that our staff also contact a company that
707 does solar pool heaters and do a little research on those to see if they are effective so we can get a
708 feel for that.

709 Ms. Montagna asked when do you want this back on the agenda?

710 Ms. Kramer stated next month, preferably. Sooner than later because it is cooling off.

711 **4. Consideration of Removal of Cattails in Golf Course Ponds Proposal**

712 Ms. Kramer stated we had an initial one. I am not sure why they gave us a quote for every pond
713 throughout the community. It was rather high, or I thought it was rather high. Then staff went back
714 out and got them strictly for the five ponds up front that are the problematic ponds. The other
715 ponds, as long as Mr. Vinson starts spraying the cattails in them, it is not that expensive as long as
716 we get them while they are in a smaller growth clump. Then we will not have to do this again. This
717 was just because we have not taken care of them because we assumed, or were told, that the golf
718 course was. We have four quotes, and I think there is a handout that went around. They will spray
719 again, so they kill the plant, and remove all the biomass because we cannot allow that biomass to
720 go into the pond, and they will haul it away. Central Florida Native Plants proposal is \$17,926.
721 SŌLitude Lake Management's ("SŌLitude") is \$ 9,950. Aquatic Weed Management is \$23,000,
722 and Lakefront Design is \$27,000.

723 Ms. Montagna stated SŌLitude is very low. We did confirm with them, and we have it via
724 email that yes, they will do the exact same thing. They treat, cut, and haul away.

725 Mr. Hamstra asked both lakeshore and in the lake? Because theirs does not say in the lake, and
726 the other three do. They just say they are going to cut down to the ground, but they do not say to
727 the water line.

728 Ms. Kassel stated it does say flush cut to the ground or water all the cattail and primrose
729 willows.

730 Ms. Montagna stated yes, we confirmed with them because the price was so low, and Mr. Alan
731 Wilson said yes.

732 Ms. Kramer stated it looks like the other three are so high. SŌLitude had given us the original
733 quote for all the ponds.

734 Ms. Montagna stated that was by me. I asked them for all the ponds. I did not really realize
735 you wanted only those five. So that was my fault.

736 Ms. Kramer asked any thoughts, questions, or discussion from the Board about going with one
737 of these proposals?

738 Ms. Kassel asked how soon does this need to be done?

739 Ms. Kramer stated the longer we delay, the worse it gets. It is a proportional explosion. We are
740 to the point where it is an explosion of work. From the report that Mr. Hamstra gave us last month
741 or the month before, we need to get it done.

742 Ms. Kassel stated I am asking because we are putting off this, that, and the other thing.

743 Ms. Kramer stated yes, but this is our stormwater management system. The other question
744 would be if we got cited by SFWMD and then forced to do it on short order, I would rather do it
745 in a planned manner.

746 Mr. Leet asked how long is this quote good for?

747 Ms. Montagna stated I would assume 30 days. Most proposals are, but I do not know.

748

749 Ms. Kramer made a MOTION to approve the proposal from
750 SŌLititude Lake Management for the treatment of the five ponds to
751 remove cattails and primrose willows, in the amount of \$9,950.

752 Mr. Leet seconded the motion.

753

754 Ms. Kassel stated I just want to make sure the other proposals are only for five ponds and not
755 for more than that.

756 Ms. Montagna stated yes.

757 Ms. Kramer stated they are for five ponds.

758 Mr. Chokanis stated maybe I am on the wrong page, but the one I see is 18 ponds for \$18,760.

759 Ms. Kramer stated yes, that was the initial proposal that was obtained in error. The other 13
760 ponds really do not need any work done. That is something our staff can kick back and keep at
761 bay, which is what they also do on the side ponds after the stuff is killed and harvested.

762 Mr. Chokanis stated I am assuming these five ponds are a lot larger because we went from
763 \$18,000 to \$9,000, and from 18 ponds to five ponds.

764 Ms. Kramer stated yes. The other 13 ponds have little to no cattails. Of these, one of them is
765 almost halfway covered with cattails, so these are the ones that have a heavy infestation.

766 Mr. Hamstra stated correct.

767

768 Upon VOICE VOTE, with all in favor, unanimous approval was
769 given (by a margin of 4-0) to the proposal from SŌLititude Lake
770 Management for the treatment of the five ponds to remove cattails
771 and primrose willows, in the amount of \$9,950.

772

773 Mr. Leet stated before we move on, I want to go back to the pool heaters. Looking at the repair
774 quote on the most recent \$4,000 invoice, it does say replacement was strongly recommended due
775 to condition and age of the pool heater, customer was provided options for financing to do
776 replacement or repair by Symbiont. Would that still be in play if we were to go with Symbiont?
777 Would that be in play with Big Z?

778 Ms. Montagna asked financing?

779 Mr. Leet stated yes.

780 Ms. Montagna stated I do not know if Big Z offers financing. Symbiont obviously does. We
781 can ask that question.

782 Mr. Leet stated if we are bringing this up next month, find that out.

783 **C. District Engineer: Pegasus**

784 **1. Discussion Regarding the Five Oaks Drive Storm Sewer Pipe Inspection and**
785 **Cleaning**

786 Mr. Hamstra stated first topic is Five Oaks Drive. at the last meeting, we talked about the
787 results of the modeling because the pipes are too small. You then asked us to get a cost estimate
788 to upside the pipe to meet the County's current standards. I had Mr. Greg Teague break it out to
789 the cost within the right-of-way versus the cost of the golf course, but he gave me a total project
790 cost for construction, design, and oversight of roughly \$700,000.

791 Ms. Montagna asked which one is that for?

792 Mr. Hamstra stated this is for Five Oaks Drive flooding issue.

793 Ms. Kramer stated correct me if I am wrong, but your report said something about the fact that
794 the current amount of flooding does not violate County standards.

795 Mr. Hamstra stated we look at three things: the size of the pipe, if the inlets are big enough,
796 and if there are enough of them. What he did for the last meeting was conclude the pipes are too
797 small, so that is causing the water to discharge in the street. What we did this last time was, were
798 the inlets big enough or spaced close enough to prevent water from crossing over the streets. It is
799 not a spread of water problem for Five Oaks Drive. The reason I did not call the County before
800 this meeting is because I thought when you heard these numbers, we would want to talk first. If I
801 initiate this dialog with the County, they may come back and ask if we will entertain going 50%-
802 50%. I am not just going to negotiate numbers of this magnitude, knowing we just started a new
803 fiscal year. I am not trying to diminish this, but we are not having flooding of homes. Since we are
804 just starting into the new fiscal year and are heading into the dry season and are waiting for revenue
805 to come in, other than we are going to talk shortly about cleaning and camera-ing the pipes, I do
806 not know if we are ready to initiate this dialogue with the County yet. They may say that it is your
807 community; yes, it is our right-of-way, but if you go 50%-50%, we may entertain it. We are talking
808 about \$300,000 to \$350,000 which I know you do not have budgeted and which impacts other
809 things we are working on, such as the community maintenance facility. We will talk about the
810 inspection next. I am not sure if you want to table this at least for a month or two and wait for the
811 winter months when it is dry and get some revenue and then see when we want to touch base with

812 the County. As the saying goes, the juice may not be worth the squeeze to spend this kind of money
813 for a little bit of street flooding or ponding. It is a big number.

814 Ms. Kassel asked is it possible that the camera work and pipe cleaning might alleviate some of
815 the flooding?

816 Mr. Hamstra stated if he goes out there and runs the hose through there and nothing comes out
817 of it, then the pipes have been cleaned. If he blows out a bunch of sediment and garbage, then it
818 might have compromised the system. We will clean it out, run the camera, and test it for another
819 rainy season, and it might be a lot better. Based on the County's current standards, what is in the
820 ground now is too small. Again, we are talking about a temporary inconvenience versus someone's
821 home getting impacted. The construction costs continue to escalate. This probably would have
822 been a \$300,000 job a couple years ago, and the cost of pipe and concrete continue to soar. I will
823 take the Board's direction if you would like to table this and look at the outcome of the CCTV
824 inspection if you approve that later tonight. I am not comfortable talking with the County at this
825 point.

826 Ms. Kramer asked have we checked what we can see?

827 Mr. Hamstra stated all these things are under water.

828 Ms. Kramer stated yes, I mean the structure. At one structure, we found in the Estates had a
829 root ball in it.

830 Mr. Hamstra stated these are different.

831 Ms. Kramer asked have we physically looked at what we can look at?

832 Mr. Hamstra stated yes. Only a few feet underground, you will see standing water because it
833 is tied directly to the lake, so there is none of that. Right behind people's backyards, they are
834 covered and buried with dirt. These are in the street and highly visible. There may be some leaves
835 blowing in there.

836 Ms. Kramer stated I am talking about the ones in the pond itself that flows into the street and
837 then goes down through the pipes.

838 Mr. Hamstra stated that pipe goes underwater into the pond. I cannot tell you on that.

839 Ms. Kassel stated related to that, not in the past couple weeks, but we have had a fair amount
840 of rain this season. I think the ponds are pretty high. I wonder if that is also contributing to the
841 flooding because there is not the surface area to absorb as much as it might be if the ponds were
842 not so high. Would that be contributing to the flooding?

843 Mr. Hamstra stated I can look at those control structures to see if the water levels are pretty
844 close to the orifice—the opening—then go back to where they should be. They may have been low

October 26, 2023

Harmony CDD

845 and not where they should be. For me go look at that for half a day is far cheaper than entertaining
846 this proposal at this point.

847 Ms. Kassel stated not that. I think we are not at all entertaining \$700,000 to replace pipes, but
848 I think we are at the place now where we are talking about whether we do the CCTV and proposed
849 cleanout with Atlantic Pipe Services versus just leaving it for the moment.

850 Ms. Montagna asked how much was it for cleaning the pipe?

851 Mr. Hamstra stated \$10,590. It is coming up on my next item. I would recommend we clean
852 it, camera it, and look at the structure at the structure at the lake to see if it is being compromised.
853 Otherwise, it will cost us, unless the County surprises us and says they will fix it themselves, which
854 I doubt. It is not a hazardous situation. It is an inconvenience.

855 Ms. Kramer stated the Board consider or discuss the proposal for Atlantic Pipe Service. I know
856 there was some back and forth as far as questions and the amount that we maybe we should do.
857 With the Estates, we did a not to exceed, and they had hourly rates to do stuff.

858 Ms. Kassel stated yes because the problem with the Atlantic Pipe Service proposal was, they
859 gave us a price, but it was a mushy price because they did not know what they would find.

860 Mr. Hamstra stated that is the problem with this. They have no idea. They are giving us their
861 best number. Mr. Teague asked them for a not-to-exceed price in their proposal, and they said they
862 could not do that necessarily because they do not know what lurks underneath the water until they
863 go out and do the work. They do not want to stop when they hit the budget and pull off the job. I
864 also do not want to blindly give them a not-to-exceed and they add \$3,000 or \$4,000 to it, thinking
865 it is at their disposal to use. When the work is done, whether it is Mr. Baez or myself or someone,
866 I want to be out there watching to make sure they are doing what the scope says. Then if they run
867 into an obstacle, then I know I have \$2,000 extra to get them to continue to move it.

868 Ms. Kramer stated yes, we do have that ability. We have adopted a policy for a change order
869 of up to \$5,000 or 10% of the contract, whichever is less. That would give us at least \$1,000. Will
870 that help a little more?

871 Mr. Hamstra stated I would probably go a little higher, just in case. The proposal is for \$10,590,
872 so maybe raise it to \$12,500, and I will make sure Mr. Baez or myself or somebody is out there
873 watching carefully, that they are plugging the pipe, they are dewatering it, and they are pumping
874 it out. Not that I do not trust them. I have been using them for years.

875 Ms. Kramer stated it is always good to watch.

876 Ms. Kassel stated yes, because you do not always know if their employees have much
877 experience.

878 Mr. Hamstra stated it may be like a survey crew and you get some new guys.

879

880

881

882

883

884

Ms. Kassel made a MOTION to approve proposal #1386 from Atlantic Pipe Services to clean the storm sewer system and perform a CCTV inspection to address flooding on Five Oaks Drive, in a not-to-exceed amount of \$12,500.

Mr. Leet seconded the motion.

885

886

887

888

889

890

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to proposal #1386 from Atlantic Pipe Services to clean the storm sewer system and perform a CCTV inspection to address flooding on Five Oaks Drive, in a not-to-exceed amount of \$12,500.

891

2. Discussion Regarding the Cat Brier Trail Storm Sewer System Evaluation

892

893

894

895

896

897

898

899

Mr. Hamstra stated the next analysis was Cat Brier Trail. Surprisingly, even though the photos indicate otherwise, those pipes are definitely large enough. The inlets are large enough. Mr. Teague is speculating maybe that one does have some type of blockage to warrant the pictures provided. I did not get a proposal for that because Mr. Teague just finished the analysis fairly recently. It is not much bigger than Five Oaks Drive. In fact, it is a little bit smaller as far as the length of pipe. You can do a not-to-exceed amount of \$10,000 or something to do it now, or wait until the next meeting when I get a proposal in front of you for Cat Brier Trail.

900

901

Ms. Montagna asked will it save us money to have them both out here doing it at the same time?

902

903

904

Mr. Hamstra stated it would make sense if that they can. Otherwise, they are back and forth. They are out of Sanford. It would be a bit of a hike.

905

906

907

Ms. Kramer stated when I looked at the pond that this empties into, right there on the corner, it is heavily grown with vegetation right there where the inlet discharges into the pond. It is extremely overgrown. It might be worthwhile taking a look at that to see if there is some blockage right at the exit.

908

909

910

Mr. Hamstra asked does Benchmark's scope stop at the water lines to the ponds? If we want to get in the pond, is it a change order or a different contractor to do that?

911

912

Ms. Kramer stated we can get into the pond. We have a pond boat.

913

914

Mr. Hamstra stated as far as, if it was heavily overgrown to pull it out, Benchmark would not do that.

Ms. Kramer stated Mr. Baez could do some, but if we find it is excessively clogged, then we could get someone in, like SÖLitude or someone.

October 26, 2023

Harmony CDD

915 Mr. Leet stated I know we just passed a motion. It makes sense if they need to do any work on
916 this other one to save mobilization and have them here back to back, are we comfortable amending
917 this task to delay it until next month, maybe until we have some more information if staff has been
918 able to look at the outlets?

919 Mr. Hamstra stated I think we should look at the outlet. It is not life threatening; it is a nuisance.
920 Let me look at the outlet, and if I feel like it is sufficient, I can always get a proposal for the next
921 meeting.

922 Ms. Kassel asked are we sure that the storm drains there are clean enough? Do we need to call
923 the County out to make sure that the storm drain is clean? Maybe that is part of what could be
924 causing some of this issue.

925 Ms. Kramer stated we can. Was it last year that I pointed out this one, that one, and one farther
926 down on Five Oaks Drive, and the County came down and vacuumed it all out?

927 Ms. Kassel stated it was just the one on Claybrick.

928 Mr. Hamstra stated I know for sure they did the Estates. I do not recall on these, but we can
929 ask.

930 Ms. Kramer stated yes, reach out to them and find out.

931 Mr. Leet asked do we need to do anything?

932 Ms. Kramer stated delay our motion for a later time.

933 Ms. Kassel asked delay the vote?

934 Mr. Leet stated we already voted, so we could have a motion to delay or postpone execution
935 of that motion until we can look into Cat Brier Trail flooding.

936 Ms. Montagna asked what are you doing?

937 Ms. Kassel stated we are delaying execution of the proposal for Five Oaks Drive.

938 Ms. Montagna asked you want to table the Five Oaks Drive proposal?

939 Ms. Kassel stated no, not table.

940 Mr. Leet stated we already approved the proposal. We want to postpone executing it.

941 Ms. Kassel stated until we are able to assess Cat Brier Trail flooding.

942 Ms. Montagna asked so this is coming back?

943 Mr. Hamstra stated the Cat Brier Trail proposal, if it is warranted. I can ask the County if the
944 CDD spends some money to do the modeling to make sure the pipes are big enough, the CDD is
945 asking the County to please clean it out. If they say they just did it last year and they will not do it
946 again, then I will look at the outlet and get a proposal from Atlantic Pipe Services. At the next
947 meeting, assuming it is roughly the same number, you can approve them jointly.

948 Ms. Kramer asked why do not we not go ahead and withdraw that motion? That will be cleaner.
949 Then we will come back and ask Atlantic Pipe Services to give us a quote for both of them.

950 Mr. Leet stated remember this is a short month.

951 Ms. Montagna stated you want to rescind the previous motion, and we will bring both proposals
952 for November.

953 Ms. Kassel stated yes.

954

955 Ms. Kassel made a MOTION to approve to rescind the previous
956 motion to approve proposal #1386 from Atlantic Pipe System, in an
957 amount not to exceed \$12,500.

958 Mr. Leet seconded the motion.

959

960 Upon VOICE VOTE, with all in favor, unanimous approval was
961 given (by a margin of 4-0) to rescind the previous motion to approve
962 proposal #1386 from Atlantic Pipe System, in an amount not to
963 exceed \$12,500.

964

965 Ms. Kramer stated Mr. Hamstra will come back if Atlantic Pipe Services needs to provide
966 another proposal to include both locations, so we can get the savings.

967 **3. Discussion Regarding the Buck Lake Community Maintenance Facility**

968 Mr. Hamstra stated the notice to proceed was given to Southeastern Surveying for the
969 community maintenance facility. They should be out there already. If anyone has seen their trucks,
970 that is them.

971 Ms. Kramer stated they should be finished. They were out there for about three or four days
972 about a week and a half ago.

973 Mr. Hamstra stated good, then I should be getting something next week from them.

974 **4. Garden Road Community Storage Shed**

975 Mr. Hamstra stated the last thing I have on my report is the revised aerial site plan that was
976 provided to the Board and Mr. Hayes for the garden road storage shed. I think we are done at this
977 point.

978 Ms. Montagna stated you are done. This is all legal now.

979 Mr. Hamstra stated good.

980 **5. Continuing Engineering Services**

981 Ms. Montagna stated we have the normal proposal that Mr. Hamstra brings every year for his
982 engineering budget of \$60,000.

983 Mr. Hamstra stated it is for fiscal year 2024 if you want my services for another year.

984 Ms. Montagna stated we will need the motion to approve that if you are keeping him on staff
985 for another year.

986 Ms. Kramer stated first, it was not on the agenda. We will need to do it as an add on, and I will
987 need to open it for public comment prior to voting. At this time, I will ask for public comment for
988 authorization to spend up to \$60,000 to retain Mr. Hamstra and Pegasus Engineering as our
989 engineering team for fiscal year 2024. Hearing no comments, we will close the public comment
990 period for Board discussion.

991

992 Ms. Kassel made a MOTION to approve the proposal from
993 Pegasus Engineering to perform engineering services for fiscal year
994 2024, in an amount not to exceed \$60,000.
995 Mr. Leet seconded the motion.

996

997 Mr. Chokanis stated I have a couple questions. Is it just like an envelope of cash that we set
998 aside beforehand, and if we do not use it all, it comes back to us? He will do work for us as he
999 needs to?

1000 Mr. Leet stated not to exceed \$60,000.

1001 Mr. Hamstra stated like tonight or the last meeting when the Board asked us to look at the
1002 hydraulics of the pipe, we will go back to the shop. One of my staff people will do the modeling
1003 and provide a write-up. We draw on that dollar amount throughout the months with a detailed
1004 invoice. If it comes to a point where we have a very active fiscal year, if we exhaust that \$60,000,
1005 then we come back with a change order. If by chance you have a very quiet year and I do not use
1006 all of it, then it does not get spent.

1007 Ms. Kramer stated it stays with us.

1008 Ms. Montagna stated it is not a blank check.

1009 Ms. Kassel stated they bill us every month for the work they have done against that \$60,000.
1010 If it looks like they are going to go above it, then they will request a change order.

1011 Mr. Chokanis stated I think we did that last year because they were very active with a lot of
1012 things.

1013 Ms. Kramer stated yes.

1014

1015 Upon VOICE VOTE, with all in favor, unanimous approval was
1016 given (by a margin of 4-0) to the proposal from Pegasus Engineering
1017 to perform engineering services for fiscal year 2024, in an amount
1018 not to exceed the \$60,000.

1019

1020 **D. District Counsel-Kutak Rock**

1021 **1. Discussion Regarding the Action on Parcel VC-1 Debt Service**

1022 Mr. Eckert stated at the last Board meeting we talked a lot about Parcel VC-1 debt service,
1023 how it was handled a few years ago, and what we need to do moving forward. We did get a chance
1024 to review the continuing disclosure agreement and confirmed this is an event that the District is
1025 required to disclose. What I need from the Board is to know whether or not we intend to make the
1026 payment in December or January, so I can draft that notice. That gets placed with the bond
1027 repositories so existing bondholders or people who might think about trading Harmony bonds have
1028 notice of what we are doing. I have an outline in my head of what the notice needs to say, but I am
1029 looking for a motion to authorize District counsel to draft the disclosure, with final approval by
1030 the Chair on the actual content of that disclosure. I also need some direction on whether the
1031 payment will be made in December or January, if that is still the District's intent.

1032
1033 Ms. Kassel made a MOTION to authorize counsel to draft the
1034 Parcel VC-1 debt service disclosure notice in consultation with the
1035 Chair, for the payment to be made in January 2024.
1036 Mr. Leet seconded the motion.

1037
1038 Ms. Kramer stated the plan is to pay off Parcel VC-1 in January 2024, and the attorney will
1039 draft the continuing disclosure notice, outlining that plan, in consultation with the Chair.

1040 Mr. Chokanis asked do we have a total of that cost?

1041 Ms. Montagna stated yes.

1042 Ms. Kassel asked is it about \$263,000?

1043 Ms. Montagna stated no, it is \$230,806.05 as of today.

1044 Ms. Kramer stated it will, I presume, with interest go up, between now and January, but not
1045 significantly.

1046
1047 Upon VOICE VOTE, with all in favor, unanimous approval was
1048 given (by a margin of 4-0) to authorize counsel to draft the Parcel
1049 VC-1 debt service disclosure notice in consultation with the Chair,
1050 for the payment to be made in January 2024.

1051
1052 **2. Discussion Regarding the Potential Spending Authorization Resolution to**
1053 **Supplement the Procurement Policy**

1054 Mr. Eckert stated I will give the Board credit. I work with a lot of districts, and the procurement
1055 policy you have is a very well-written policy. I am sure it has saved the residents a lot of money
1056 by following that policy. I am not proposing that change that policy. What I propose, that was
1057 distributed in the last agenda package, is whether or not the Board wants to have a spending

1058 authorization policy, to clarify what the spending limits are for how we deal with continuing
1059 expenses, how we deal with non-continuing expenses that come up between Board meetings, and
1060 how we deal with emergency expenses. A resolution that has blanks to be filled in later was
1061 included in the agenda package. I am not asking the Board to approve a specific resolution tonight,
1062 but I would like some direction from the Board on whether or not you would like to have a spending
1063 authorization resolution. Then when we do that, I think we can marry that with your procurement
1064 policy, which again, I think is a very good financial tool the Board has implemented. If you decide
1065 not to do this, that is okay, too. It is something we have found useful in other districts.

1066 Ms. Kassel stated personally, I would like to table this until the next meeting so I can spend a
1067 little more time with it.

1068 Mr. Chokanis stated I would make a motion to table it.

1069 Ms. Kramer stated we will just go ahead and table it right now. I think it would be really good.
1070 The nice thing about the sample that was sent around is that it gives us a clear definition on when
1071 Inframark can go ahead and pay those bills. We had some question as to, should they be paid
1072 before the Board approves them and then be ratified, or should we wait until after the Board
1073 approves them to pay them. This lays out specifically what bills should be paid ahead of time and
1074 then ratified, and which ones should not. We will table it until next month.

1075 Mr. Leet asked just being a resolution to amend the procurement policy does not require a
1076 workshop? It is not a rule?

1077 Ms. Kramer stated it is just a policy; it was not a rule. It was not done through rulemaking.
1078 Once we get into rulemaking, we can decide if we want to adopt it.

1079 **3. Ethics Training**

1080 Ms. Montagna asked do you want to wait to go over the ethics training they have to do? Or do
1081 you want to bring it up now to prepare them?

1082 Mr. Eckert stated no, I think we talked about it briefly before. Starting January 1, 2024, you
1083 will have to do four hours of ethics training on an annual basis. We will be sending out a memo
1084 that has a bunch of different resources for the Board on where you can get that training. It is not
1085 something you can actually take before January 1, 2024, anyway. At your November or December
1086 meeting if you meet in December, we will make sure the Board has that. It is usually economical
1087 for you to get that training. The big thing that we have been waiting on is the direction from the
1088 Commission on Ethics whether or not they are going to require different training for special district
1089 Board members because different laws apply to special districts, versus the existing training that

October 26, 2023
Harmony CDD

1090 is already in effect for county commissioners and city council members. We will get something to
1091 you no later than the November meeting.

1092 Ms. Kramer stated just a reminder, the next meeting is November 16.

1093 **E. District Manager**

1094 **1. Update on the Website**

1095 Ms. Montagna stated I talked with Campus Suite, and we are going to start putting historical
1096 documents on, as you requested. There has been no discussion of any additional charges. We will
1097 start doing that.

1098 Mr. Leet stated I have a map that I have worked on with some of the trails, and I still owe you
1099 that so that can be updated on the website. I cannot remember if an older map is still on there.
1100 Hopefully, I will have that done this month and will get it sent to you and have it updated on the
1101 website. We want to have a QR code for all our trail signs.

1102 **2. Update on the Garden Shed**

1103 Ms. Montagna stated I think what it comes down to is, they will not sign section 2B in the
1104 contract. They do not want to sign that as far as giving a determined date. I think if we can open
1105 that up a bit with whatever the Board is comfortable with of giving them some flexibility with
1106 maybe once this is done, they have 90 days, or something like that. But they are just not willing to
1107 sign that section with providing specifics.

1108 Mr. Eckert stated that is what we did at the Board's direction last meeting. If the Board wants
1109 us to open it up more, we can. We thought what we did was fairly reasonable. Normally, a contract
1110 will come back and say rather than 30 days, they want 60 days. But if they are just saying they
1111 want money with no guarantee they will start with any given time, that is pretty concerning.

1112 Ms. Kramer stated I gave Mr. Hayes today a lead on a local government that just constructed
1113 this type of building, albeit a little bit larger. But we are looking for both our community
1114 maintenance facility and the garden shed. Let us see what he finds out who they worked with and
1115 how they were to work with. I am much more comfortable hearing from the experience of another
1116 local government and how their project went, versus jumping to this company, that we know
1117 nothing about, for the leeway.

1118 Ms. Kassel stated Mr. Hamstra provided a drawing of the location, which is farther back than
1119 where the field services building was, and I am wondering if that is desirable because it is more
1120 steps away from the garden, and why it was set there.

1121 Mr. Kramer stated the reason it was is because the area where the field services trailer is, is
1122 lower and it floods every time it rains.

1123 Ms. Kassel asked so you are okay with it? That is my concern.

1124 A Resident stated it is under trees, so it is shady.

1125 Ms. Kassel stated I just wanted to make sure.

1126 **4. Current Financial Statue**

1127 Ms. Kramer stated the exhibit included under this tab is not the appropriate one.

1128 Ms. Montagna stated Ms. Kramer and I spoke, and you will still get your monthly financials.

1129 To make it easier to read, what we thought would be better and more beneficial is to have just one

1130 page every month that states the operating amount, what you started with that month, what has

1131 been spent, what you have remaining, and then reserves, what you started with, what came out of

1132 there such as the garden shed, and the remaining amount. Essentially, that is all. It is just an easier

1133 read to know where you are that day in your financials. You will start seeing that in your financials

1134 every month, and it will be a one-page, easy read report with your financials included, as well.

1135 **5. Facility Usage Event Applications**

1136 Ms. Montagna stated these are event application with more than 50 people that need to be

1137 approved.

1138 i. **Briana Kramer and Alister McDonald for a Two-Year Old Birthday Party**

1139 Ms. Kramer stated I think we need to go through these individually.

1140 Ms. Montagna stated yes.

1141 Ms. Kramer stated the first one is for a birthday party at the pool. Did you get a chance to speak

1142 with Ms. Briana Kramer?

1143 Ms. Montagna stated I have not spoken with her. Has Mr. Hayes spoken with her?

1144 Mr. Hayes stated yes, I sent the information to them, letting them know this needed to come

1145 before the Board for approval. Then I will follow I up.

1146 Ms. Kramer asked so you have not talked to them about the number of people? The concern is

1147 that our rules require us to not shut down the pool for a reservation and not to overly burden the

1148 pool. She is asking for 60 people. I am not sure if that is really what she is looking for. The capacity

1149 of the pool is 80, maximum. That is pretty close when she says 60+ and does not give us an upper

1150 limit.

1151 Mr. Leet stated she noted 60, question mark.

1152 Ms. Kassel stated it does not say plus.

1153 Ms. Kramer stated yes, question mark.

1154 Ms. Kassel stated which is a different story.

1155 Ms. Kramer stated I asked them to reach out to her just to verify. That is a huge birthday party

1156 and a huge burden on the pool.

1157 Ms. Kassel asked why do we not just approve it with a caveat that there can be no more than
1158 60 people?

1159 Ms. Kramer stated that is still a lot of capacity for the pool.

1160 Ms. Kassel stated the capacity is 80.

1161 Mr. Leet stated it will be in November. It is not like it is pool season. I am good with it.

1162 Ms. Kramer asked does she know it is not heated?

1163 Ms. Montagna stated they will find out when they jump in.

1164 Mr. Chokanis asked is inside the pool the capacity, or is it inside the fence line?

1165 Ms. Kramer stated it is considered the bathing capacity, but inside the fence line should not
1166 exceed that for safety purposes. That is a lot of people. I do not know that we have ever seen that
1167 many people at that pool.

1168 Mr. Chokanis stated I agree it is a lot. If the capacity was 60 people around the pool or 60
1169 people inside the pool fence line.

1170 Ms. Montagna stated it is the bathing load.

1171 Ms. Kramer stated yes.

1172

1173 Mr. Leet made a MOTION to approve the facility usage
1174 application from Briana Kramer and Alister McDonald for a two-
1175 year-old birthday party at the big pool, with no more than 60
1176 attendees, on November 4, 2023.

1177 Ms. Kassel seconded the motion.

1178

1179 Mr. Chokanis stated we can approve this one, but I want to talk about the whole fence line
1180 capacity.

1181

1182 Upon VOICE VOTE, with all in favor, unanimous approval was
1183 given (by a margin of 4-0) to the facility usage application from
1184 Briana Kramer and Alister McDonald for a two-year-old birthday
1185 party at the big pool, with no more than 60 attendees, on November
1186 4, 2023.

1187

1188 ii. **Harmony Community Church for Easter Worship Sunday**

1189 Ms. Kramer stated this request is for an event in March. This one we not only approve, but we
1190 typically waive the fees since they are a private entity but they are a church.

1191 Ms. Montagna stated this is the event they do every year.

1192

1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235

Ms. Kassel made a MOTION to approve the facility usage application from Harmony Community Church for Easter workshop Sunday, on March 31, 2024, waiving all fees.
Mr. Leet seconded the motion.

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to the facility usage application from Harmony Community Church for Easter workshop Sunday, on March 31, 2024, waiving.

iii. **Harmony Residential Owners Association and Associations Solutions for Harmony Halloween Market**

Ms. Kramer stated this is a Harmony Residential Owners Association (“HROA”) event on October 29, 2023, for a market and Halloween event. Do we have all the documents for this? I presume they will be providing us with the certificate of insurance.

Ms. Montagna stated yes.

Ms. Kassel made a MOTION to approve the facility usage application from Harmony Residential Owners Association and Associations Solutions for Harmony Halloween and market event, on October 29, 2023.
Mr. Leet seconded the motion.

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to the facility usage application from Harmony Residential Owners Association and Associations Solutions for Harmony Halloween and market event, on October 29, 2023.

iv. **Harmony Residential Owners Association and Associations Solutions for Fall Festival and Market**

Ms. Kramer stated this is another HROA event on November 12, 2023, for the fall festival and market. All of these, of course, are contingent upon receiving certificates of insurance and the requirements of our rules.

Ms. Kassel made a MOTION to approve the facility usage request from Harmony Residential Owners Association and Associations Solutions for a fall festival and market event, on November 12, 2023.
Mr. Leet seconded the motion.

1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to the facility usage request from Harmony Residential Owners Association and Associations Solutions for a fall festival and market event, on November 12, 2023.

v. **Recreation Usage Policy**

Mr. Chokanis stated I brought up last time about this document regarding different rules for approving parties or events for more than 50 people. I would like to revisit that whole document. I am not sure how we would go about this, but I think it is unnecessary for us to have to approve events, especially for Ms. Jennifer Abrahamson, who does all the events for us in Harmony. If she does not make it in time for our meetings, then we cannot approve it through Ms. Montagna or Inframark. I do not know how to go about this, but I would like a change in that aspect.

Ms. Montagna asked would you like to add a review of the event policy to the November agenda?

Ms. Kassel stated we would have to do that in a rulemaking session.

Ms. Montagna stated yes.

Ms. Kramer stated it is a formal rule.

Ms. Montagna asked Mr. Eckert, do we need to go through rulemaking if it is not a fee?

Mr. Eckert stated if you adopted it by rule and you are going to change it, then you would have to go through the rulemaking proceedings. Yes, you have to go through rulemaking to adopt it. I do not know how you originally adopted it.

Ms. Kramer stated yes, we did adopt it by rule, and it is part of the rule packet that went through the rulemaking procedure. We can add it to the agenda. Ms. Montagna is almost finished reviewing and making recommendations on the full rulemaking process where we are going over the entire rule document that Mr. Chokanis is looking at. You brought that to the attention of the manager, so she can place that in the recommendations. Does that sound reasonable?

Mr. Chokanis stated yes. I think it needs to be reviewed. I know it is a heavy document and has a lot of sections for rules and regulations for how we go about the business of the District. The reason why I brought it up is the instances of Ms. Abrahamson trying to set up an event and sending the submission for approval. I am hoping to filter out some of this stuff that needs to be changed.

Mr. Kassel stated is she is almost done, then maybe we can see the results in November. I would suggest maybe we have a rulemaking session. We do not have to do it now, but I am suggesting maybe for January.

1270 Ms. Montagna stated I have it all red-lined. My plan is when I am done, which I am hoping to
1271 be done at the beginning of November, I will send it to you so you can review it, look at it, and
1272 send back any comments that you have. Then I can compile them all together. When we are ready,
1273 we can put it on the agenda, and then you can set a date for a rulemaking hearing, if that is what
1274 you choose to do.

1275 Ms. Kramer stated that sounds good.

1276 Mr. Chokanis stated yes, thank you.

1277 **6. Update on District Records/Storage Boxes**

1278 Ms. Montagna stated where are in the boxes are accounts payable vendor files for fiscal years
1279 2003 through 2016, such as invoices they paid; bank statements and cash receipts from 2003, 2004,
1280 and 2011 through 2016; accounting working files from 2005, 2009, and 2011; prepayments from
1281 inception through 2017.

1282 Ms. Kassel asked are the prepayments for bonds?

1283 Ms. Montagna stated yes, I would assume some of that is bond related because it is from
1284 inception through 2017. That could be a number of different things. We also have old
1285 correspondence from 2002, property taxes from 2003, and in general some old District
1286 miscellaneous files. That is the summary of everything in the 32 boxes that are not needed. I am
1287 happy to do whatever you would like me to do with those: get them all, get only the ones that you
1288 want so you can go through them, whatever you would like me to do.

1289 Ms. Kassel stated I think we should at least look through the prepayments and correspondence
1290 files.

1291 Mr. Eckert stated the prepayments you have to keep, and we will talk about that with the next
1292 resolution that the Board will consider.

1293 Ms. Montagna stated actually, the prepayments are a part of the 28 boxes that need to be saved.
1294 She gave me a summary of what was in all the boxes.

1295 Ms. Kramer asked other than that, does anyone want to see old accounts payable files or check
1296 registers.

1297 Ms. Kassel stated the prepayments, which are required to be kept. It would not hurt to look
1298 through the old correspondence to see if there is any documentation for things from the past that
1299 could be relevant to us now.

1300 Ms. Leet asked is there any more detail regarding the old District files?

1301 Ms. Montagna stated no.

1302 Ms. Kramer stated it is miscellaneous. That could be as-builts or something.

October 26, 2023
Harmony CDD

1303 Ms. Kassel stated it would be a good idea to go through those.

1304 Mr. Leet stated yes, while we are doing this.

1305 Ms. Kramer stated I am not sure how many boxes that comprises.

1306 Ms. Montagna stated I will get with Ms. Sandra DeMarco and ask her. The prepayments are
1307 separate, but I will find out how many boxes the old correspondence and the old District files make
1308 up. Then I will let you know. I will not bring it to a meeting, but I will let you know via email.

1309 Ms. Kramer stated you were also going to investigate the \$50 annual fee.

1310 Ms. Montagna stated the \$50 annual fee is because we have to buy storage to be able to store
1311 these old digitized records. If you go to digital, we have to buy storage space to be able to do that,
1312 and we pay for that. Just like you store banker boxes in a storage building, you are paying for that.

1313 Ms. Kramer asked would that not be part of our overall records storage?

1314 Ms. Montagna stated no, because these are old records, and they have to pay for storage to be
1315 able to keep those. Moving forward, your documents are on our servers. To add all of these old
1316 files onto the storage will cost money to expand storage space. That is what the \$50 annual fee is.

1317 Ms. Kramer asked is it really that much?

1318 Ms. Montagna stated I cannot tell you. I do not know. That is what I was told.

1319 Ms. Kramer stated I have a source that said that is not even close, but peace be with it.

1320

1321 **FOURTH ORDER OF BUSINESS**

Business Items

1322 **A. Consideration of Resolution 2024-01, Appointment of Records Management Liaison** 1323 **Officer**

1324 Ms. Kramer read Resolution 2024-01 into the record by title.

1325 Ms. Kramer stated this looks more like a records retention resolution.

1326 Mr. Eckert stated it is a lot that we pulled into this resolution. At the last meeting, the Board
1327 decided they were not going to keep everything. They were going to change their policy to follow
1328 the State guidelines. We prepared the resolution that appoints the records management liaison
1329 officer. The Secretary has the power to appoint that person. If you look at Exhibit A, it says we are
1330 going to follow the records retention schedule, which is very voluminous. However, we are going
1331 to keep the documents listed on Exhibit A for a lot longer than what the State requires. Mody of
1332 the documents that are on Exhibit A relate to bonds and how the bond funds were used. Those
1333 documents need to be kept until a period of time after the bonds are paid off. In case there is an
1334 audit by the Internal Revenue Service, we have those documents to be able to work with them on
1335 that. This is a resolution we use in most of our districts that follow the State schedules, with those
1336 exceptions that are on Exhibit A.

1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372

Ms. Kassel made a MOTION to approve Resolution 2024-01, appointment of a records management liaison officer.
Mr. Leet seconded the motion.

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to Resolution 2024-01, appointment of a records management liaison officer.

Ms. Kramer stated let us get is straight because on the letterhead for this agenda package, it showed Ms. Joellyn Phillips as Secretary. We need to make sure to look at all those.

Ms. Montagna stated Ms. Phillips is an Assistant Secretary; Mr. Chokanis is a Supervisor, not Secretary.

Ms. Kramer stated my understanding is that our District Manager is the Secretary.

Ms. Montagna stated yes.

Ms. Kramer stated typically when we reorganize in November of even years, we have one or two of the other Board members as Assistant Secretaries.

Ms. Montagna stated that is correct.

B. Discussion Regarding Advanced Development Team Harmony Cove Request to Issue Additional Bonds for Infrastructure Costs

Ms. Kramer stated I presume everyone was sent the request that they would like us to issue additional bonds so they can afford to put in infrastructure for a 377-unit apartment complex in the front of Harmony.

Ms. Kassel stated I would not want to burden the residents any more than we already are. I do not see why we should.

Ms. Montagna stated with them not being here, I think it is a little early to discuss.

Ms. Leet stated for the sake of discussion, barring default, this bond would only be a burden on those units being financed by that bond. It will just cover those apartment buildings.

Ms. Kramer stated but the thing is, we are taking the annual burden from \$200,000 a year to \$800,000 a year on those properties. If they chose to default on them, when those two parcels go up for tax auction, more likely than not, no one would bid on them. Therefore, we would be out all that money, and the rest of the residents throughout the community would have to absorb that cost, or the bondholders would foreclose on those properties. Is that correct, Mr. Eckert?

Mr. Eckert stated generally, yes, in the sense that the bondholders would cause the District to foreclose on those properties., and then pay the proceeds of the foreclosure sale to the bondholders if that were to occur. If no one is there from the developer, and I did invite them and let them know

October 26, 2023

Harmony CDD

1373 when the meeting would be, but if they are not interested in showing up to talk to the Board in
1374 person, I am not sure we should spend any more time on it.

1375 Ms. Montagna stated no.

1376 Mr. Eckert stated I will say that the proposed bond was proposed to just encumber their
1377 property. If the assessments were paid on that property for 30 years, there would not be any harm
1378 to the District. If there was a default, it would certainly impact the District's ability to refinance its
1379 existing bonds. It would impact the District's ability to issue new bonds in the future if you wanted
1380 to reconstruct the recreation centers. The District would also incur costs in dealing with the
1381 foreclosure and going through that process under the master trust indenture. This is not without
1382 risk to the District. Again, if they are not attending tonight, then I am not so sure we really ought
1383 to spend much more time on it.

1384 Ms. Kassel asked we are sure they are not on Zoom?

1385 Mr. Leet stated it does not appear so.

1386 Mr. Chokanis stated based on what Mr. Eckert just said and the discussion, I do not see the
1387 benefit of us going forward with this. We would be putting ourselves at risk, like Mr. Eckert said.
1388 I do not think we should be going to look for something like that right now. That is just my opinion.

1389 Mr. Leet stated I only brought it up because in their request, they said they wanted to start
1390 doing site prep as early as December. Yes, we would be taking on some risk if they defaulted. We
1391 went through a substantial real estate crisis in 2008 and 2009 where the existing bonds were
1392 defaulted on. That is a risk that we have to discuss. At the same time, we have a big project we are
1393 trying to do ourselves. The big price difference was the lack of site prep. We had a petition from
1394 about 160 residents who were unhappy where we were talking about putting our maintenance
1395 facility. If they are already out here doing all this site prep, then they are mobilizing. That could
1396 be mutually beneficial to ask since they are doing all the site prep for their buildings, if they could
1397 do the site prep for our building. Now we would have the advantage of being able to put our
1398 maintenance facility more removed from where the recreation stuff is right now, at a potentially
1399 lower cost.

1400 Ms. Kassel stated if they are not even here, then I think it is a moot point.

1401 Ms. Kramer stated it sounds as though the Board does not want to take any action, so we will
1402 move on.

1403 Ms. Kassel stated we were very lucky here in Harmony that the bonds were not defaulted on.
1404 I remember reading in 2009 or 2010 that \$6 billion in CDD bonds were defaulted on. We were
1405 very lucky all over central Florida.

1406 **C. Discussion Regarding Operations and Maintenance Assessment Methodology**

1407 Ms. Kramer stated I mistakenly put this on the agenda. At the last meeting, we decided to put
1408 it on the January agenda. So we will wait for January for this item.

1409 **D. Discussion Regarding the Street Parking**

1410 Ms. Kramer asked was an email blast go out? I did not see one.

1411 Ms. Kassel stated I did not see one. I do not think we decided who was responsible for making
1412 sure that happened or what it looked like.

1413 Ms. Kramer stated District management.

1414 Ms. Kassel stated I have a survey monkey survey, and I could make up a survey if we wanted,
1415 as long as there is nothing illegal about that. In the email that went out through the HOA staff, I
1416 could write something like, here is the situation with the parking, and here are the options.

1417 Mr. Hayes stated what I provided to you tonight, I did reach out to the County as requested by
1418 the Board. I spoke with the fire chief for the County, and I provided you some of their
1419 correspondence and email with the code ordinances and land development.

1420 Ms. Kramer stated I will ask you to review this since we just got it today.

1421 Mr. Hayes stated it was requested by the Board at the last meeting to find out more information
1422 about emergency services and street parking. It was requested that the District manager reach out
1423 to the County and find out more information. I will start with the emergency services portion of
1424 that. There was a question about those services and ambulatory services that could be provided,
1425 whether it is additional services to be provided to the District that are not currently being done. in
1426 speaking to them, they are already offering the services for the District. They did want me to point
1427 out that currently, you do have ambulatory services at Holopaw and Deer Run fire houses. The fire
1428 chief explained and told me that in the near future, at the fire house next to the school, they will
1429 soon have ambulance service there, which is close to you. What is in the email talks about Osceola
1430 County code of ordinances having to do with land development code. They provided the specifics
1431 of that documents. Sections 22 through 39 prohibit parking in specified places. As you can see
1432 from the bottom of page 1 through page 2, they specifically highlight parking on the streets. The
1433 fire marshal also explained to me that he would also take the land development code and provide
1434 me with some additional information. he has not had the opportunity to do so. Once I receive that,
1435 I will circulate that to the Board, as well.

1436 Ms. Kramer stated Mr. Chokanis, I do not now if you had an opportunity to ask contacts in the
1437 fire department to do a drive-through to see if, in fact, we have a problem. At the last meeting, we
1438 talked about and you had mentioned you talked to your contacts in the fire department if they can

October 26, 2023
Harmony CDD

1439 maybe drive a fire truck through and see if there was a parking problem or if they could get through
1440 with cars on both sides of the street. Were you able to do that?

1441 Mr. Chokanis stated I did not. I did see a firetruck going down Five Oaks Drive a couple weeks
1442 ago. But I will get with my contact and get that scheduled.

1443 Ms. Kramer stated according to Mr. Hayes's contact with the fire chief, it sounds like they are
1444 going to be putting a rescue unit at the station next to the high school.

1445 Mr. Chokanis stated that is awesome; that is great news.

1446 Ms. Kramer stated keep us informed on your contacts as to when or if it is going to happen.

1447 Mr. Chokanis stated okay.

1448 Mr. Leet asked do we want to take any action as far as doing some kind of resident survey?

1449 Ms. Kassel stated I think we need to know if it really is an issue with waste collection, fire and
1450 rescue services, road and bridge maintenance, and mosquito control. That is what we heard was a
1451 problem, but I am not sure who we heard it from that made it factual.

1452 Ms. Kramer stated we have written information from mosquito control that they provided. Fire
1453 and rescue, I was stopped during one of our events on the Square where they were demonstrating
1454 fire equipment. The fire fighters said they were concerned about it here and asked if we would
1455 look into it, if Mr. Chokanis can get with his contacts at the fire department. We really do need to
1456 know and be sure. It is very close. I think we could go around with a pick meter, for that matter,
1457 and see if we can get between the cars. My car cannot fit between some of them. It would be good
1458 to have that information so we can wait for the information from Mr. Chokanis's contact.

1459 Ms. Kassel stated we will just table this discussion until next month.

1460 Ms. Kramer stated yes.

1461 Mr. Leet stated while we are talking about next month, I want to make sure we will also be
1462 discussing the Five Oaks Drive traffic issue that was mentioned.

1463 Ms. Kramer stated yes, we can add that. Those two go hand in hand. They are both County
1464 street issues.

1465 Ms. Montagna asked is Mr. Hayes already talking with the County about a traffic study?

1466 Mr. Hayes stated no. That was on another question when they were asking about street parking.

1467 Mr. Chokanis stated I will say, I live on Middlebrook, and it is a very tight, narrow road for
1468 Waste Management getting in and out. They have not really had an issue, per se, but if two trucks
1469 are parked on the street, it is very tight. Sometimes you cannot get through. I think it depends on
1470 what is parking on the side of the road, but I think there are some tight spots that will inhibit a fire

1471 truck from getting through. I will definitely reach out and see if they run a truck through to see if
1472 they are any tight spots that we need to identify.

1473 Ms. Kramer stated thank you. I know Waste Management has, at times, missed some pickup
1474 areas, such as Blue Stem and I think Dark Sky. They just cannot get through.

1475 Mr. Hayes stated I wanted to reiterate what I was saying about the fire marshal and what he
1476 will be providing, looking at the land development code. Part of that is, it spells out if this District
1477 is allowed to have any street parking at all, yes or no. That is something I was trying to get at when
1478 I was explaining it to you. Once I get that from the fire marshal, I will be sharing it with you as
1479 Board members.

1480 **E. Consideration of Resolution 2024-02, Recognizing Marilyn Ash-Mower**

1481 Ms. Kramer read Resolution 2024-02 into the record by title.

1482 Ms. Kassel stated I have a request from Ms. Ash-Mower to postpone this until she is done with
1483 refurbishing. She probably has the paint already, but she wants us to postpone it for a month or
1484 two.

1485 Ms. Kramer stated we appreciate you, Ms. Ash-Mower, and at your request, we will postpone
1486 this until the December meeting.

1487 Ms. Kassel stated she is just embarrassed to be recognized. I totally understand and empathize.

1488 Ms. Montagna stated we will bring it back.

1489 **F. Consideration of Motion to Assign Fund Balance**

1490 Ms. Montagna stated typically what this Board has done every October, we bring this before
1491 you. It is to hereby assign fiscal year 2023 reserves per the fiscal year 2023 budget, Exhibit A,
1492 your operating reserves. Currently, you have \$467,801. You can approve this and keep it assigned
1493 there, or you can assign it somewhere else. Right now, it is requesting to assign fund balance to
1494 the fiscal year 2023 operating reserves. This is what is left. This is your fiscal year 2023 reserves,
1495 but we would be assigning for fiscal year 2024 operating reserves.

1496 Ms. Kassel asked just to clarify, in terms of our budget, this is what our balance was that we
1497 can now apply toward fiscal year 2024?

1498 Ms. Montagna stated it is an assigning fund balance as of September 30, 2023. That is your
1499 fund balance. What we would typically do and what you have typically done in the past, is assign
1500 your fund balance, whatever that number is, to operating reserves. That is what you have typically
1501 done. It does not mean you have to do it the same way.

1502 Ms. Kramer stated I think it is good since we are so short and strapped for cash right now to
1503 get our operating reserves beefed up.

1504

1505 Ms. Kassel made a MOTION to approve assigning fund balance
1506 of \$467,801 as of September 30, 2023, to fiscal year 2024 to
1507 operating reserves.
1508 Mr. Leet seconded the motion.

1509
1510 Mr. Chokanis asked is this our reserve from fiscal year 2023 or fiscal year 2022?

1511 Ms. Montagna stated no.

1512 Ms. Kassel stated this is not our reserve for replacement and refurbishment. This is the fund
1513 balance at the end of fiscal year 2023. So we are assigning that fund balance as of September 30
1514 of fiscal year 2023 to October 1 of fiscal year 2024. It will appear in our financial statements going
1515 forward.

1516 Mr. Chokanis asked how do we have that much money left over?

1517 Ms. Kramer stated because those are our operating reserves that we have to keep at a certain
1518 level to make it through until we get our assessments in.

1519 Mr. Chokanis stated so we are pushing that to our operating account until money comes in.

1520 Ms. Kramer stated yes.

1521 Mr. Chokanis asked are we going to replace that once we get our cash flow that is coming in?

1522 Ms. Montagna stated no.

1523 Mr. Leet stated we have done this every year. Whatever amount we have left at the end of
1524 fiscal year 2024, if we do the same thing, it will be assigned forward to fiscal year 2025.

1525 Ms. Montagna stated it keeps going every year.

1526 Ms. Kramer stated yes, it rolls over each year.

1527
1528 Upon VOICE VOTE, with all in favor, unanimous approval was
1529 given (by a margin of 4-0) to assigning fund balance of \$467,801 as
1530 of September 30, 2023, to fiscal year 2024 to operating reserves.

1531
1532 **FIFTH ORDER OF BUSINESS** **Consent Agenda**

1533 **A. Minutes for the September 28, 2023, Regular Meeting**

1534 The minutes are included in the agenda package and available for public review on the
1535 District's website or in the District Office during normal business hours.

1536 Ms. Kramer stated the final, triple-edited minutes went out this afternoon.

1537 Mr. Hamstra stated it was 100 pages.

1538 Ms. Kramer stated it would not be acceptance of the minutes in the agenda package but those
1539 that you received today, as amended.

1540 Ms. Kassel stated we actually collected the amendments since last week.

1541 Ms. Kramer stated yes, all three are in the minutes sent today.

October 26, 2023

Harmony CDD

1542 **B. Financial Statements** (*September 2023*)

1543 The financial statements are included in the agenda package and available for public review
1544 on the District's website or in the District Office during normal business hours.

1545 **C. #281 Invoices and Check Register** (*September 2023*)

1546 The check register and invoices are included in the agenda package and available for public
1547 review on the District's website or in the District Office during normal business hours.

1548 Ms. Kassel stated I have a question about the Mr. Javier Hernandez refund. What is that about?

1549 Ms. Montagna asked what was the amount?

1550 Ms. Kassel stated \$1,200 or \$1,300.

1551 Ms. Kramer stated evidently, he prepaid it, and the information was not passed onto the tax
1552 collector, so he received it in his tax bill.

1553 Ms. Kassel asked he prepaid his debt assessment by that much?

1554 Ms. Kramer stated yes. He prepaid the amount he owed.

1555 Ms. Kassel asked so instead of applying it toward his debt service, we just refunded it?

1556 Ms. Kramer stated no, we applied it to his debt service, but they did not inform the tax collector,
1557 and it stayed on his tax bill.

1558 Ms. Montagna stated so he was due a refund/

1559 Ms. Kramer stated he was due a refund of what he paid to the tax collector.

1560 Ms. Montagna stated that we got. We got it, so the District had to refund him.

1561 Ms. Kassel stated I still do not understand. If the District got it, why could they not apply it
1562 toward his debt service?

1563 Ms. Montagna stated he overpaid.

1564 Mr. Leet stated we got it because he paid his debt off, but the County did not know, so he was
1565 still assessed this year on his tax bill.

1566 Ms. Montagna stated that is correct.

1567 Mr. Leet stated it got paid this year even though he did not have to, and we had to refund it.

1568 Ms. Montagna stated that is right.

1569 Ms. Kassel stated you are saying he prepaid his entire debt assessment off.

1570 Ms. Montagna stated yes.

1571 Ms. Kassel stated the County did not know, they billed him for it, so we had already gotten all
1572 the money from him, not just that amount.

1573 Ms. Montagna stated that is correct.

1574 Ms. Kassel stated last month, we talked about wanting copies of the receipts for all the credit
1575 card bills. They did not appear with the expenditure report. I am wondering why.

1576 Ms. Montagna stated I spoke with Ms. Paula Davis. She is trying to pull all of those. With Mr.
1577 Castillo leaving, we are having to track down some of those receipts. Yes, it will not be on the
1578 agenda, but it will be sent out with your expenditure report. She is working on an easy-to-read
1579 report for you, same as how you see the invoices. It will be a summary and then all the receipts.

1580 Ms. Kassel asked it will be similar to what we used to receive and should be in the November
1581 agenda?

1582 Ms. Montagna stated yes.

1583

1584 Ms. Kassel made a MOTION to approve the consent agenda,
1585 minutes as amended.

1586 Mr. Leet seconded the motion.

1587

1588

1589 Upon VOICE VOTE, with all in favor, unanimous approval was
1590 given (by a margin of 4-0) to the consent agenda, minutes as
1591 amended.

1592

SIXTH ORDER OF BUSINESS

Supervisor Requests

1594 Ms. Kassel stated the first one is, what was mentioned earlier, for a traffic study. I do not know
1595 what that requires. I know a resident has requested a traffic study. I do not know if we can request
1596 that, or if we can request that the police put out speed monitoring signs, or if we request the police
1597 have a presence here on Five Oaks Drive and the Lakes area from Middlebrook and Feathergrass
1598 down, or to ticket people who are speeding. I am not sure what the appropriate next step is.

1599 Ms. Montagna stated Mr. Hamstra can address the traffic study.

1600 Mr. Hamstra stated there are several different options. If you are worried about speeding,
1601 typically the County will set up those speed bumps. Based on the percentile that exceeds the speed
1602 limit, they may justify speed bumps or enforcement actions. That is a speed study. If you are doing
1603 a traffic study based on future development, that is done by a lot of consultants who strictly do
1604 traffic studies. They look at population, projected developments, and whether or not your roads
1605 are going to exceed the designed capacity.

1606 Ms. Montagna stated the flip side to that is, we can call the County and tell them we are having
1607 a speeding issue and ask if they can come in. I do not know if you are going to be a priority or if
1608 they will even come do it. The other option is to pay off-duty sheriff's department officers to come
1609 in write tickets and do radar.

1610 Ms. Kassel stated I do not think they can write tickets if they are off duty,

1611 Ms. Montagna stated yes, they can. We hire them in Celebration.

1612 Ms. Kramer stated the HROA already hires them to come in and do that.

1613 Ms. Kassel stated they do not hire them to ticket for speeding. They hire them to make sure
1614 there are no teenagers around loitering and doing vandalism.

1615 Ms. Kramer stated I was informed the HROA does not even get notices of when they will be
1616 here because they do speed enforcement activities all over. Maybe the other HOAs in the Lakes
1617 can kick in to have more coverage. The CDD is not a traffic control entity.

1618 Ms. Kassel stated no, but what this resident was told by the County was that the CDD can
1619 request to have the County to come and check for speeding.

1620 Ms. Kramer stated I would agree with that wholeheartedly.

1621 Ms. Kassel asked can we direct the District manager to contact the County and request that
1622 they put up those speeding monitors?

1623 Ms. Montagna asked the speed trailers?

1624 Ms. Kassel stated yes.

1625 Mr. Chokanis stated there was a speeding incident, and my kids were involved. They were not
1626 speeding but they were on a golf cart. Two cars were drag racing down Five Oaks Drive. I called
1627 the non-emergency number and had a police officer come out and try to figure out who they were.
1628 They were unsuccessful. I was thrown off by the resident's request for a traffic study, but anyone
1629 can call the non-emergency number and have someone come out and monitor the roads. I do not
1630 know that we necessarily need Ms. Montagna to reach out. They can put those signs out. A sign
1631 was out in front of Middlebrook and Feathergrass probably a couple months ago showing your
1632 speed, but no police officer was there to implement anything, whether it is writing tickets or
1633 monitoring speed of cars. I think it is people coming mainly from the Enclave. That is the only
1634 community where it is not people 55 and older. People speed very high in the morning when no
1635 one is out there to see it.

1636 Mr. Leet asked is there any downside for us through the District manager asking for a speed
1637 study? Or does it need to be brought up for discussion next month?

1638 Ms. Kassel stated I do not see why we would not ask the District manager to do that. As you
1639 said, there is no downside.

1640 Mr. Chokanis stated there is not, if we can get any officers on lighter duty to come out for a
1641 whole day and sit there to try to catch people speeding. I have seen people get pulled over by the
1642 school not stopping at a stop sign or speeding around the roundabout. Yes, think it is a good idea.

1643 Ms. Kassel stated I think it has more weight coming from the CDD.

1644

1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677

Ms. Kassel made a MOTION to approve directing the District manager contact Osceola County to have them set up a speed study. Mr. Leet seconded the motion.

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to directing the District manager contact Osceola County to have them set up a speed study.

Mr. Chokanis asked Ms. Montagna, can you specifically put on Five Oak Drive toward the 55 and older the community? I know speeding is everywhere in front of my house, but I think that road is bad. There are no turns or anything from where you turn off the east entrance toward the Enclave. That whole section of Five Oaks Drive down the roundabout is where I feel like there is a lot of speeding.

Ms. Montagna stated okay.

Ms. Kassel stated I wanted to speak to the concern on the land by the Lakes, the five-story apartments. First of all, it is tentative. Second of all, the CDD has no control, enforcement, or say in what happens there. The people who own it have the right to approach the County with development plans. The CDD is not informed about those development plans in any way, shape, or form. The CDD cannot really do anything. It is really up to the residents of the community to monitor the consent agenda for the County Board of County Commissioners and observe what is on their consent agenda. If there is something like this happening, before it gets approved, residents have to be informed and go to these meetings of the County Commissioners and complain before they approve the consent agenda. Once it is approved, it is a done deal. You cannot look for the CDD to do everything for everyone. It is not what is in our jurisdiction to do. It is not within our power. If you want to try to prevent development, then you have to go to the County before they present their consent agenda at a meeting, and tell them. You can probably write to them, or appear at a meeting before all the Commissioners. If it has already been approved, sorry, it is too late.

Mr. Leet stated feel free to organize. We have had groups of residents go to the County Commission meetings in the past. We do not have a lot of leverage. We get a plat to approve. By that point, it has already been blessed by the County and everything. The County is where you need to go apply that pressure if you do not like the development plans. We had a resident in the Enclave who has people cutting across their property who are refusing to go along the trail for the CDD.

October 26, 2023
Harmony CDD

1678 Ms. Kramer stated we have signs going in. She wants to cut down the trees and bushes there.
1679 We indicated that will cause even more trespass problems. We are erecting signs to keep people
1680 directed on the trails.

1681 Ms. Kassel stated we already have the arrows.

1682 Ms. Kramer stated yes.

1683 Ms. Kassel stated they just need to be put up, so it is in the process.

1684 Ms. Kramer stated Mr. Tim Dwyer volunteered to put them up to take the burden off our staff.
1685 I do want to let everyone know that I have a major opportunity that I have chosen to accept that
1686 will cause me to be extremely business for the next year. I will not be able to devote the time that
1687 I feel is necessary to properly serve our community. As of the end of this meeting, I will be stepping
1688 down from the Board, so that you can choose a replacement.

1689 Mr. Leet asked stepping down as Chair or stepping down as a Board member?

1690 Ms. Kramer stated as Board member.

1691 Ms. Kassel asked can you wait until January until we have time to find someone to replace
1692 you?

1693 Ms. Kramer stated you have a couple of good candidates who have already applied, and
1694 hopefully, they will come back. I was hoping to handle the November meeting, but unfortunately,
1695 I will be totally submerged in my new project in the middle of November.

1696 Ms. Montagna stated I will need a motion from the Board to accept Ms. Kramer's resignation.

1697 Ms. Kassel asked can you wait?

1698 Ms. Kramer stated I am sorry, I cannot.

1699 Ms. Montagna stated this is not a negotiation.

1700 Ms. Kassel asked can you stay as Chair until November 16?

1701 Ms. Kramer stated not with this project.

1702

<p>Ms. Kramer made a MOTION to accept Ms. Kramer's resignation from the Board, effective immediately upon adjournment of the meeting.</p>

1703

1704

1705

1706

1707 Mr. Chokanis asked do we vote on who gets to be Chair?

1708 Ms. Montagna stated we will do that at the next meeting. We will obviously have to announce
1709 that we have a vacant seat. The Board will appoint someone to finish out Ms. Kramer's term. Then
1710 we will realign the Board. You will nominate and vote on the Chair, the Vice Chair, and so forth.

1711

1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734

Ms. Kassel seconded the motion, with deep regret.

Upon VOICE VOTE, with all in favor, unanimous approval was given (by a margin of 4-0) to accept Ms. Kramer’s resignation, with the Board’s deep regret.

Ms. Kassel stated before we adjourn, I would like to get a resolution recognizing Ms. Kramer.

Ms. Montagna stated we will present it at the next meeting, if the Board will allow me to work with Ms. Kassel to come up with what the Board would like to recognize Ms. Kramer with. I am happy to work with her to come up with that.

Ms. Kassel asked can we hear about your opportunity?

Ms. Kramer stated unfortunately, no.

SEVENTH ORDER OF BUSINESS Adjournment

On MOTION by Mr. Chokanis, seconded by Ms. Kassel, with all in favor, the meeting adjourned at 8:59 p.m.

Secretary/Assistant Secretary

Chair/Vice Chair